

# NHS Data Model and Dictionary



**Type:** Data Dictionary Change Notice  
**Reference:** 1696  
**Version No:** 1.0  
**Subject:** SNOMED CT Subsets  
**Effective Date:** Immediate  
**Reason for Change:** Removal of information no longer available  
**Publication Date:** 15 July 2019

## Background:

SNOMED CT® was previously provided in two release formats:

- Release Format 1 (RF1), containing SNOMED CT Subsets referenced by subset original ID
- Release Format 2 (RF2), containing SNOMED CT Refsets referenced by refset ID.

As of October 2018, SNOMED CT® is only released in RF2 and RF1 is no longer available.

This Data Dictionary Change Notice (DDCN) updates the NHS Data Model and Dictionary as follows:

- Retires the NHS Business Definition "SNOMED CT® Subset"
- Updates the following NHS Business Definitions and Supporting Information:
  - Data Dictionary for Care
  - SNOMED CT®
  - SNOMED CT® Refset
- Removes references to "SNOMED CT® Subset" from all affected Data Elements.
- Makes all Data Elements and Attributes that reference SNOMED CT® consistent.

To view a demonstration on "How to Read an NHS Data Model and Dictionary Change Request", visit the NHS Data Model and Dictionary help pages at: [http://www.datadictionary.nhs.uk/Flash\\_Files/changerequest.htm](http://www.datadictionary.nhs.uk/Flash_Files/changerequest.htm).

Note: if the web page does not open, please copy the link and paste into the web browser.

## Summary of changes:

## **Supporting Information**

<a href="#"><u>DATA DICTIONARY FOR CARE</u></a>	Changed Description
<a href="#"><u>FEMALE GENITAL MUTILATION DATA SET OVERVIEW</u></a>	Changed Description
<a href="#"><u>OBSERVABLE ENTITY</u></a>	Changed Description
<a href="#"><u>SNOMED CT</u></a>	Changed Description
<a href="#"><u>SNOMED CT REFSET</u></a>	Changed Description
<a href="#"><u>SNOMED CT SUBSET (RETIRED)</u></a> renamed from <a href="#"><u>SNOMED CT SUBSET</u></a>	Changed Description, status to Retired, Name

## **Attribute Definitions**

<a href="#"><u>DIAGNOSIS SCHEME IN USE</u></a>	Changed Description
<a href="#"><u>MENTAL HEALTH ACT LEGAL STATUS CLASSIFICATION CODE</u></a>	Changed Description
<a href="#"><u>NEWBORN BLOOD SPOT TEST OUTCOME STATUS</u></a>	Changed Description
<a href="#"><u>PERSON STATED SEXUAL ORIENTATION CODE</u></a>	Changed Description
<a href="#"><u>RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION CODE</u></a>	Changed Description
<a href="#"><u>RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION GROUP CODE</u></a>	Changed Description

## **Data Elements**

<a href="#"><u>ACCESSIBLE INFORMATION COMMUNICATION SUPPORT CODE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>ACCESSIBLE INFORMATION CONTACT METHOD CODE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>ACCESSIBLE INFORMATION PROFESSIONAL REQUIRED CODE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>ACCESSIBLE INFORMATION SPECIFIC INFORMATION FORMAT CODE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>ACCOMMODATION STATUS (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>AIDS DEFINING ILLNESS CODE ADULT (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>ANTIRETROVIRAL THERAPY DRUG (SNOMED CT DM+D)</u></a>	Changed Description
<a href="#"><u>ASSISTIVE TECHNOLOGY FINDING (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>CHLAMYDIA TEST RESULT (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>CODED ASSESSMENT TOOL TYPE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>COMORBIDITY (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>DIAGNOSIS (SNOMED CT ON ADMISSION TO NEONATAL CRITICAL CARE)</u></a>	Changed Description
	Changed Description

<a href="#"><u>DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE)</u></a>	
<a href="#"><u>DIAGNOSIS (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE ACUITY (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE ARRIVAL MODE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE ATTENDANCE SOURCE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE CHIEF COMPLAINT (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE CLINICAL INVESTIGATION (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE DIAGNOSIS (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE DIAGNOSIS QUALIFIER (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE DISCHARGE DESTINATION (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE DISCHARGE FOLLOW UP (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE DISCHARGE INFORMATION GIVEN (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE DISCHARGE STATUS (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE INJURY ACTIVITY STATUS (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE INJURY ACTIVITY TYPE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE INJURY ALCOHOL OR DRUG INVOLVEMENT (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE INJURY INTENT (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE INJURY MECHANISM (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE PLACE OF INJURY (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>EMERGENCY CARE PROCEDURE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>FORMULA MILK OR MILK FORTIFIER TYPE (SNOMED CT DM+D)</u></a>	Changed Description
<a href="#"><u>IMAGING CODE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>IMAGING CODE (SNOMED-CT)</u></a>	Changed Description
<a href="#"><u>INTERPRETER LANGUAGE (SNOMED CT)</u></a>	Changed Description
<a href="#"><u>MEDICATION GIVEN DURING LABOUR (SNOMED CT DM+D)</u></a>	Changed Description
<a href="#"><u>MEDICATION GIVEN DURING NEONATAL CRITICAL CARE DAILY CARE DATE (SNOMED CT DM+D)</u></a>	Changed Description

<a href="#">NEONATAL RESUSCITATION DRUG (SNOMED CT DM+D)</a>	Changed Description
<a href="#">OCCUPATION MOTHER (SNOMED CT)</a>	Changed Description
<a href="#">PREFERRED SPOKEN LANGUAGE (SNOMED CT)</a>	Changed Description
<a href="#">PROCEDURE (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE)</a>	Changed Description
<a href="#">PROCEDURE (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)</a>	Changed Description
<a href="#">REFERRED TO SERVICE (SNOMED CT)</a>	Changed Description
<a href="#">SAFEGUARDING CONCERN (SNOMED CT)</a>	Changed Description
<a href="#">SAMPLE ANTIBIOTIC SENSITIVITY RESULT (SNOMED CT DM+D)</a>	Changed Description
<a href="#">SAMPLE TEST RESULT ORGANISM TYPE (SNOMED CT)</a>	Changed Description
<a href="#">SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)</a>	Changed Description
<a href="#">SNOMED CT CODE</a>	Changed Description
<a href="#">SNOMED CT EXPRESSION</a>	Changed Description
<a href="#">SPECIMEN TYPE (CHLAMYDIA TESTING SNOMED CT)</a>	Changed Description
<a href="#">STEROID TYPE GIVEN TO MOTHER (SNOMED CT DM+D)</a>	Changed Description

**Date:** 15 July 2019

**Sponsor:** Nicholas Oughtibridge, Head of Clinical Data Architecture, NHS Digital

**Note:** New text is shown with a blue background. Deleted text is crossed out. Retired text is shown in grey. Within the Diagrams deleted classes and relationships are red, changed items are blue and new items are green.

---

## DATA DICTIONARY FOR CARE

---

Change to Supporting Information: Changed Description

The ~~[Data Dictionary for Care \(DD4C\)](#)~~ publishes metadata associated with ~~[SNOMED CT Subsets](#)~~. The [Data Dictionary for Care \(DD4C\)](#) publishes metadata associated with [SNOMED CT Refsets](#).

For further information on the [Data Dictionary for Care](#), see the [NHS Digital](#) website at: [Welcome to DD4C](#).

---

## FEMALE GENITAL MUTILATION DATA SET OVERVIEW

---

Change to Supporting Information: Changed Description

### Contextual Overview

The [Female Genital Mutilation Data Set](#) provides essential information in relation to the female genital mutilation population across England.

The [Female Genital Mutilation Data Set](#) is used:

- To publish Official Statistics which will inform the [Department of Health and Social Care](#), [NHS England](#), other Government Agencies and the public, about female genital mutilation when it has been identified
- To identify the potential risk of female genital mutilation to young girls and vulnerable women
- For better planning and management of female genital mutilation [SERVICES](#) at a local level and across England

Data may be input immediately using an input screen via the [NHS Digital](#) Clinical Audit Platform when female genital mutilation is identified, or data extracts for Patients, can be submitted as a bulk upload on a monthly basis for each [Organisation](#).

[CARE CONTACT](#) activities undertaken for female genital mutilation [PATIENTS](#) during the [REPORTING PERIOD](#) are reported in the data upload. This includes any attendances at an [Out-Patient Clinic](#) led by any type of [CARE PROFESSIONAL](#), [Hospital Provider Spells](#), [Accident and Emergency Attendances](#), [Group Therapy](#), [Ward Attendances](#); or any other type of direct [PATIENT](#)-facing [CARE CONTACT](#), with an exception to [Sexual and Reproductive Health Clinics](#) and Genitourinary Medicine (GUM) clinics, who are not required to submit the [Female Genital Mutilation Data Set](#) to the [NHS Digital](#).

~~[SNOMED CT Subset Metadata](#)~~ [SNOMED CT Refset Metadata](#):

- ~~Female genital mutilation related findings:~~
  - ~~[Subset](#) Name: Female genital mutilation related findings~~
  - ~~[Subset](#) Original Id: 58681000000133~~
  - ~~[Refset](#) FSN: Female genital mutilation related findings simple reference set (foundation metadata concept)~~
  - ~~[Refset](#) Id: 999002041000000103~~
- [Female genital mutilation related findings:](#)
  - [Refset](#) FSN: Female genital mutilation related findings simple reference set (foundation metadata concept)
  - [Refset](#) Id: 999002041000000103

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Female genital mutilation related findings](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Female genital mutilation related findings](#).

- Female genital mutilation related procedures:
  - [Subset](#) Name: Female genital mutilation related procedures
  - [Subset](#) Original Id: 58671000000131
  - [Refset](#) FSN: Female genital mutilation related procedures simple reference set (foundation metadata concept)
  - [Refset](#) Id: 999002031000000107
- Female genital mutilation related procedures:
  - [Refset](#) FSN: Female genital mutilation related procedures simple reference set (foundation metadata concept)
  - [Refset](#) Id: 999002031000000107

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Female genital mutilation related procedures](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Female genital mutilation related procedures](#).

## DATA EXTRACT SPECIFICATION

### Description:

The [Department of Health and Social Care](#) requires all [NHS Trusts](#), [NHS Foundation Trusts](#) and [GENERAL MEDICAL PRACTITIONERS](#) to generate and provide a data extract in accordance with the [Female Genital Mutilation Data Set](#). This requirement is applicable to all [CARE PROFESSIONALS](#) in these [Organisations](#) whenever it has been identified that a woman or young girl has undergone female genital mutilation.

Further information is available on the [NHS Digital](#) website at: [Female Genital Mutilation Datasets](#).

### Time period:

Data extracted from systems can be submitted as a bulk upload on a quarterly basis for each [Organisation](#).

### Format:

Data submitted by the bulk upload facility must be formatted in 3 separate comma separated variable (csv) files (i.e. Patient, Attendance or Female Genital Mutilation), which are used to populate the [NHS Digital](#) Clinical Audit Platform. The data elements should be transmitted in the order specified in the [Female Genital Mutilation Data Set](#).

## Transmission

Electronic files must be transmitted to [NHS Digital](#) via the Clinical Audit Platform which is a secure web portal.

Connection to the web portal requires registration to the Clinical Audit Platform, which will include the provision of a login account name and password.

Further information about the Clinical Audit Platform and the data upload facility can be found on the [NHS Digital](#) website: at [Clinical Audit Platform](#).

Further guidance on the [Female Genital Mutilation Data Set](#) can be found on the on the [NHS Digital](#) website at: [SCCI2026: Female Genital Mutilation Enhanced Dataset](#).

---

## OBSERVABLE ENTITY

---

Change to Supporting Information: Changed Description

An [Observable Entity](#) is a [CLINICAL INTERVENTION](#).

An [Observable Entity](#) represents a question or assessment which can produce an answer or result, for example, [SYSTOLIC BLOOD PRESSURE](#), color of iris etc.

~~For further information on [Observable Entities](#), see the [SNOMED CT](#) Concept Model at: [6](#).~~ For further information on [Observable Entities](#), see the [SNOMED CT®](#) Concept Model at: [6. SNOMED CT Concept Model: Observable entity](#).

---

## SNOMED CT

---

Change to Supporting Information: Changed Description

[SNOMED CT®](#) is the clinical terminology approved as an Information Standard.

Requirements for utilising [SNOMED CT®](#) are stated within the [National Information Board](#) document "[A Framework for Action](#)" and [SNOMED CT®](#) can be downloaded from [Technology Reference Data Update Distribution \(TRUD\)](#).

[SNOMED CT®](#) provides the clinical language that facilitates electronic communication between healthcare professionals in clear and unambiguous terms, and can be used to code, retrieve and analyse clinical data.

[SNOMED CT®](#) is comprehensive and provides clinical terms for all healthcare professions. Applications often use subsets of [SNOMED CT®](#) that have been developed to support specific requirements. The NHS Data Model and Dictionary references [SNOMED CT Subsets](#) to support data reporting for specific data items. Applications often use subsets of [SNOMED CT®](#), known as [SNOMED CT Refsets](#), that have been developed to support specific requirements. The NHS Data Model and Dictionary references [SNOMED CT Refsets](#) to support data reporting for specific data items.

~~[SNOMED CT®](#) was previously provided in two release formats:~~ [SNOMED CT®](#) has been distributed in Release Format 2 (RF2) since 1 April 2018. [SNOMED CT®](#) contains [SNOMED CT Refsets](#) referenced by refset ID, which are listed in the [Data Dictionary for Care \(DD4C\)](#).

- ~~Release Format 1 (RF1)~~
  - ~~RF1 of [SNOMED CT®](#) contains [SNOMED CT Subsets](#) referenced by subset original ID~~
  - ~~RF1 is no longer available after 1st April 2018~~
- ~~Release Format 2 (RF2)~~
  - ~~RF2 of [SNOMED CT®](#) contains [SNOMED CT Refsets](#) referenced by refset ID.~~
  - ~~The simple form of [SNOMED CT Refset](#) is used to represent a [SNOMED CT Subset](#) and RF2 includes content that corresponds to RF1.~~

As of April 2018, [SNOMED CT®](#) is only released in RF2.

[SNOMED CT®](#) is managed and maintained internationally by [SNOMED International](#) and in the UK by [NHS Digital](#).

National and International arrangements have been established to ensure there is adequate and relevant governance of [SNOMED CT®](#), to ensure it meets the needs of healthcare in the respective jurisdictions.

**Note:** previous versions of SNOMED (including SNOMED RT and SNOMED 3) ceased to be licensed after April 2017 other than for historical content.



Mapping tables and guidance to enable historical data previously captured using a previous version of SNOMED, can be found on the [Technology Reference Data Update Distribution \(TRUD\)](#) at: [SNOMED Antecedent Versions Data Migration](#).

For further information on [SNOMED CT®](#), see the [NHS Digital](#) website at: [SNOMED CT](#).

For an initial introduction to [SNOMED CT®](#), see the [SNOMED CT Starter Guide](#).

For those needing more comprehensive documentation, see the [Technical Implementation Guide](#).

- Further information on [SNOMED CT®](#), see the [NHS Digital](#) website at: [SNOMED CT](#)
- An initial introduction to [SNOMED CT®](#), see the [SNOMED CT Starter Guide](#)
- Those needing more comprehensive documentation, see the [Technical Implementation Guide](#).

---

## SNOMED CT REFSET

---

Change to Supporting Information: Changed Description

A [SNOMED CT Refset](#):

- Is a data structure defined within [SNOMED CT® 2 \(RF2\)](#)
- Is a data structure defined within [SNOMED CT® Release Format 2 \(RF2\)](#)
- Consists of a set of references to [SNOMED CT®](#) components, like concepts, descriptions or relationships.

In its simple form a [SNOMED CT Refset](#) can represent a [SNOMED CT Subset](#). In its simple form a [SNOMED CT Refset](#) is used to represent a subset of [SNOMED CT®](#) content.

[SNOMED CT Refsets](#):

- Usually represent groups of concepts that share specified characteristics (for example, a specific clinical domain)
- Support user interface development through the organisation of clinical display, creation of menus and pick-lists, or support of knowledge structures
- May be created as value sets for messaging or data entry.

Different types of [SNOMED CT Refsets](#) are used to represent:

- Descriptions or concepts for particular realms or specialties
- Suitability of particular concepts for use in a particular context in a record.

For further information on [SNOMED CT Refsets](#), see the [SNOMED CT® Glossary](#) at: [SNOMED CT reference set](#).

Change requests for [SNOMED CT Refsets](#) released by [NHS Digital](#) should be made through the Request Submission Portal on the [NHS Digital](#) website at: [Welcome to the Request Submission Portal](#).

---

## SNOMED CT REFSET

---

Change to Supporting Information: Changed Description

- Changed Description

---

## SNOMED CT SUBSET (RETIRED) renamed from SNOMED CT SUBSET

---

Change to Supporting Information: Changed Description, status to Retired, Name

A [SNOMED CT Subset](#) is a: **This item has been retired from the NHS Data Model and Dictionary.**

- Set of [SNOMED CT®](#) concepts, descriptions, or relationships
- Simple form of a [SNOMED CT Refset](#).

[SNOMED CT Subsets](#): **The last live version of this item is available in the May 2019 release of the NHS Data Model and Dictionary.**

- Usually represent groups of concepts that share specified characteristics (for example, a specific clinical domain)
- Support user interface development through the organisation of clinical display, creation of menus and pick-lists, or support of knowledge structures
- May be created as value sets for messaging or data entry.

Different types of [SNOMED CT Subsets](#) are used to represent: **Access to this version can be obtained by emailing [information.standards@nhs.net](mailto:information.standards@nhs.net) with "NHS Data Model and Dictionary - Archive Request" in the email subject line.**

- Descriptions or concepts for particular realms or specialties
- Suitability of particular concepts for use in a particular context in a record.

Change requests for [SNOMED CT Refsets](#) released by [NHS Digital](#) should be made through the Request Submission Portal on the [NHS Digital](#) website at: [Welcome to the Request Submission Portal](#).

For further information on [SNOMED CT Subsets](#), see the [NHS Digital](#) website at: [SNOMED CT](#).

---

#### SNOMED CT SUBSET (RETIRED)\_ renamed from SNOMED CT SUBSET

---

Change to Supporting Information: Changed Description, status to Retired, Name

- Changed Description
- Retired SNOMED CT Subset
- Changed Name from  
Data\_Dictionary.NHS\_Business\_Definitions.S.SNOMED\_CT\_Subset to  
Retired.Data\_Dictionary.NHS\_Business\_Definitions.S.SNOMED\_CT\_Subset

---

#### DIAGNOSIS SCHEME IN USE

---

Change to Attribute: Changed Description

The type of [CODED CLINICAL ENTRY](#) used for the [PATIENT DIAGNOSIS](#).

*National Codes:*

- 01 Accident & Emergency Diagnosis \*\*\*
- 02 [ICD-10](#)
- 03 Read Code 4Byte Version (retired 1 October 2009)
- 04 [Read Coded Clinical Terms](#) Version 2
- 05 [Read Coded Clinical Terms](#) Version 3 (CTV3) \*
- 06 ~~[SNOMED CT](#)~~ \*\*
- 06 [SNOMED CT®](#) \*\*

Notes:

- \* [Read Coded Clinical Terms](#) Version 3 (CTV3) with qualifiers (previously known as 3.1) is not supported in the Commissioning Data Sets
- \*\* ~~[SNOMED CT](#)~~ is not valid for Commissioning Data Set version 6-2
- \*\* [SNOMED CT®](#) is not valid for Commissioning Data Set version 6-2
- \*\*\* Accident & Emergency Diagnosis is not valid for the [Community Services Data Set](#), [Maternity Services Data Set](#) and [Mental Health Services Data Set](#).

## MENTAL HEALTH ACT LEGAL STATUS CLASSIFICATION CODE

---

Change to Attribute: Changed Description

A code which identifies the [MENTAL HEALTH ACT LEGAL STATUS CLASSIFICATION](#).

Note that the National Code '*Informal*' is used for those [PATIENTS](#) who are neither formally detained nor receiving supervised aftercare.

Where applicable, [MENTAL HEALTH ACT LEGAL STATUS CLASSIFICATION CODE](#) is aligned with descriptors for "Mental Health Act legal status findings" in [SNOMED CT®](#) as follows:

### [SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset Name](#): Mental Health Act legal status findings
- [Subset Original Id](#): 750810000000134
- [Refset FSN](#): Mental Health Act legal status findings simple reference set
- [Refset Id](#): 999003071000000100

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Mental Health Act legal status findings](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Mental Health Act legal status findings](#).

### *National Codes:*

01	Informal
02	Formally detained under Mental Health Act Section 2
03	Formally detained under Mental Health Act Section 3
04	Formally detained under Mental Health Act Section 4
05	Formally detained under Mental Health Act Section 5(2)
06	Formally detained under Mental Health Act Section 5(4)
07	Formally detained under Mental Health Act Section 35
08	Formally detained under Mental Health Act Section 36
09	Formally detained under Mental Health Act Section 37 with section 41 restrictions
10	Formally detained under Mental Health Act Section 37
12	Formally detained under Mental Health Act Section 38
13	Formally detained under Mental Health Act Section 44
14	Formally detained under Mental Health Act Section 46
15	

- Formally detained under Mental Health Act Section 47 with section 49 restrictions
- 16 Formally detained under Mental Health Act Section 47
- 17 Formally detained under Mental Health Act Section 48 with section 49 restrictions
- 18 Formally detained under Mental Health Act Section 48
- 19 Formally detained under Mental Health Act Section 135
- 20 Formally detained under Mental Health Act Section 136
- 31 Formally detained under Criminal Procedure(Insanity) Act 1964 as amended by the Criminal Procedures (Insanity and Unfitness to Plead) Act 1991
- 32 Formally detained under other acts
- 33 Supervised Discharge (Mental Health (Patients in the Community) Act 1995) (Retired 03 November 2008 - but may apply to some patients until 3 May 2009)
- 34 Formally detained under Mental Health Act Section 45A (Retired 01 September 2014)
- 35 Subject to guardianship under Mental Health Act Section 7
- 36 Subject to guardianship under Mental Health Act Section 37
- 37 Formally detained under Mental Health Act Section 45A (Limited direction in force)
- 38 Formally detained under Mental Health Act Section 45A (Limitation direction ended)

---

**MENTAL HEALTH ACT LEGAL STATUS CLASSIFICATION CODE**

---

Change to Attribute: Changed Description

- Changed Description

---

**NEWBORN BLOOD SPOT TEST OUTCOME STATUS**

---

Change to Attribute: Changed Description

The outcome/status of a [Newborn Blood Spot Test](#) request.

[NEWBORN BLOOD SPOT TEST OUTCOME STATUS](#) is aligned with descriptors in [SNOMED CT®](#) as follows:

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Newborn blood spot screening result status
- [Subset](#) Original Id: 61081000000135

- [Refset](#) FSN: Newborn blood spot screening result status simple reference set (foundation metadata concept)
- [Refset](#) Id: 966281000000109

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\) website](#) at: [Newborn blood spot screening result status](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\) website](#) at: [Newborn blood spot screening result status](#).

*National Codes:*

- 01 Specimen received in [Laboratory](#)
- 02 Screening declined
- 03 Repeat/Further Sample Required
- 04 Condition not suspected
- 05 Carrier
- 06 Sickle Cell Disease not suspected, carrier of other haemoglobin
- 07 Condition not suspected, other disorders follow up
- 08 Condition suspected
- 09 Not screened/screening incomplete
- 10 Haemoglobin S not suspected (by DNA) No other haemoglobin /thalassemia excluded

**NEWBORN BLOOD SPOT TEST OUTCOME STATUS**

Change to Attribute: Changed Description

- Changed Description

**PERSON STATED SEXUAL ORIENTATION CODE**

Change to Attribute: Changed Description

The [PERSON STATED SEXUAL ORIENTATION](#) of a [PERSON](#).

[SNOMED CT Subset Metadata](#): [PERSON STATED SEXUAL ORIENTATION CODE](#) is aligned with descriptors for "Sexual orientation findings" in [SNOMED CT®](#) as follows:

[SNOMED CT Refset Metadata](#):

- ~~Subset Name: Sexual orientation findings~~

- ~~Subset Original Id: 74781000000131~~
- ~~Refset FSN: Sexual orientation findings simple reference set (foundation metadata concept)~~
- ~~Refset Id: 999003081000000103~~
- Refset FSN: Sexual orientation findings simple reference set (foundation metadata concept)
- Refset Id: 999003081000000103

~~For further details relating to the [SNOMED CT Subset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Sexual orientation findings](#).~~ For further details relating to the [SNOMED CT Refset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Sexual orientation findings](#).

*National Codes:*

- 1 Heterosexual or Straight
- 2 Gay or Lesbian
- 3 Bisexual
- 4 Other sexual orientation not listed
- U [PERSON](#) asked and does not know or is not sure
- Z Not Stated ([PERSON](#) asked but declined to provide a response)

**SEXUAL ORIENTATION CODE will be replaced with PERSON STATED SEXUAL ORIENTATION CODE, which is the most recent approved national information standard to describe the required definition.**

---

**PERSON STATED SEXUAL ORIENTATION CODE**

---

Change to Attribute: Changed Description

- Changed Description

---

**RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION CODE**

---

Change to Attribute: Changed Description

The [RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION](#) of a [PERSON](#), as specified by a [PERSON](#).

Note: This is the [Religious Affiliation](#) of a [PERSON](#), not their [Religion](#).

Where applicable, [RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION CODE](#) is aligned with descriptors for "Religious and Other Belief System Affiliation" in [SNOMED CT](#)® as follows:

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Religious or Other Belief System Affiliation
- [Subset](#) Original Id: 10791000000130
- [Refset](#) FSN: Religious or other belief system affiliation simple reference set (foundation metadata concept)
- [Refset](#) Id: 999000531000000100

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Religious or Other Belief System Affiliation](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Religious or Other Belief System Affiliation](#).

*National Codes:*

**Baha'i**

A1 Baha'i

**Buddhist**

- B1 Buddhist
- B2 Mahayana Buddhist
- B3 New Kadampa Tradition Buddhist
- B4 Nichiren Buddhist
- B5 Pure Land Buddhist
- B6 Theravada Buddhist
- B7 Tibetan Buddhist
- B8 Zen Buddhist

**Christian**

- C1 Christian
- C2 Amish
- C3 Anabaptist
- C4 Anglican
- C5 Apostolic Pentecostalist
- C6 Armenian Catholic
- C7 Armenian Orthodox
- C8 Baptist
- C9 Brethren
- C10 Bulgarian Orthodox
- C11 Calvinist



C12 Catholic: Not Roman Catholic  
C13 Celtic Christian  
C14 Celtic Orthodox Christian  
C15 Chinese Evangelical Christian  
C16 Christadelphian  
C17 Christian Existentialist  
C18 Christian Humanist  
C19 Christian Scientists  
C20 Christian Spiritualist  
C21 Church in Wales  
C22 Church of England  
C23 Church of God of Prophecy  
C24 Church of Ireland  
C25 Church of Scotland  
C26 Congregationalist  
C27 Coptic Orthodox  
C28 Eastern Catholic  
C29 Eastern Orthodox  
C30 Elim Pentecostalist  
C31 Ethiopian Orthodox  
C32 Evangelical Christian  
C33 Exclusive Brethren  
C34 Free Church  
C35 Free Church of Scotland  
C36 Free Evangelical Presbyterian  
C37 Free Methodist  
C38 Free Presbyterian  
C39 French Protestant  
C40 Greek Catholic  
C41 Greek Orthodox  
C42 Independent Methodist  
C43 Indian Orthodox  
C44 Jehovah's Witness  
C45 Judaic Christian  
C46 Lutheran  
C47 Mennonite  
C48 Messianic Jew  
C49 Methodist  
C50 Moravian

C51 Mormon  
C52 Nazarene Church  
    Synonym: Nazarene  
C53 New Testament Pentacostalist  
C54 Nonconformist  
C55 Old Catholic  
C56 Open Brethren  
C57 Orthodox Christian  
C58 Pentecostalist  
    Synonym: Pentacostal Christian  
C59 Presbyterian  
C60 Protestant  
C61 Plymouth Brethren  
C62 Quaker  
C63 Rastafari  
C64 Reformed Christian  
C65 Reformed Presbyterian  
C66 Reformed Protestant  
C67 Roman Catholic  
C68 Romanian Orthodox  
C69 Russian Orthodox  
C70 Salvation Army Member  
C71 Scottish Episcopalian  
C72 Serbian Orthodox  
C73 Seventh Day Adventist  
C74 Syrian Orthodox  
C75 Ukrainian Catholic  
C76 Ukrainian Orthodox  
C77 Uniate Catholic  
C78 Unitarian  
C79 United Reform  
C80 Zwinglian

## **Hindu**

D1 Hindu  
D2 Advaitin Hindu  
D3 Arya Samaj Hindu  
D4 Shakti Hindu  
D5 Shiva Hindu  
D6 Vaishnava Hindu  
    Synonym: Hare Krishna

**Jain**

E1 Jain

**Jewish**

F1 Jewish

F2 Ashkenazi Jew

F3 Haredi Jew

F4 Hasidic Jew

F5 Liberal Jew

F6 Masorti Jew

F7 Orthodox Jew

F8 Reform Jew

**Muslim**

G1 Muslim

G2 Ahmadi

G3 Druze

G4 Ismaili Muslim

G5 Shi'ite Muslim

G6 Sunni Muslim

**Pagan**

H1 Pagan

H2 Asatruar

H3 Celtic Pagan

H4 Druid

H5 Goddess

H6 Heathen

H7 Occultist

H8 Shaman

H9 Wiccan

**Sikh**

I1 Sikh

**Zoroastrian**

J1 Zoroastrian

**Other**

K1 Agnostic \*

K2 Ancestral Worship

K3 Animist

K4 Anthroposophist

K5 Black Magic

K6 Brahma Kumari

- K7 British Israelite
- K8 Chondogyo
- K9 Confucianist
- K10 Deist
- K11 Humanist
- K12 Infinite Way
- K13 Kabbalist
- K14 Lightworker
- K15 New Age Practitioner
- K16 Native American Religion
- K17 Pantheist
- K18 Peyotist
- K19 Radha Soami  
Synonym: Sant Mat
- K20 Religion (Other Not Listed) \*\*
- K21 Santeri
- K22 Satanist
- K23 Scientologist
- K24 Secularist
- K25 Shumei
- K26 Shinto
- K27 Spiritualist
- K28 Swedenborgian  
Synonym: Neo-Christian
- K29 Taoist
- K30 Unitarian-Universalist
- K31 Universalist
- K32 Vodun
- k33 Yoruba

**None**

- L1 Atheist
- L2 Not Religious

**Declines to Disclose**

- M1 Religion not given - [PATIENT](#) refused

**Unknown**

- N1 Patient Religion Unknown \*\*\*

*Note:*

\* Where the [PATIENT](#) has been asked for their [RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION](#) but they are unsure what it is: Agnostic should be used

\*\* Where the [PATIENT](#) has been asked for their [RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION](#) and it is one that is not listed: Religion (Other Not Listed) should be used

\*\*\* Where the [PATIENT](#) has not been asked for their [RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION](#): Patient Religion Unknown should be used

---

#### RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION CODE

---

Change to Attribute: Changed Description

- Changed Description

---

#### RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION GROUP CODE

---

Change to Attribute: Changed Description

The [RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION](#) group of a [PERSON](#), as specified by a [PERSON](#).

Note: This is the [Religious Affiliation](#) of a [PERSON](#), not their [Religion](#).

[RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION GROUP CODE](#) is aligned with descriptors for "Religious or other belief system affiliation groups" in [SNOMED CT](#)® as follows:

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Religious or other belief system affiliation groups
- [Subset](#) Original Id: 71981000000132
- [Refset](#) FSN: Religious or other belief system affiliation groups simple reference set (foundation metadata concept)
- [Refset](#) Id : 999002601000000106

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Religious or other belief system affiliation groups](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Religious or other belief system affiliation groups](#).

*National Codes:*

- A Baha'i
- B Buddhist
- C Christian
- D Hindu
- E Jain
- F Jewish
- G Muslim
- H Pagan
- I Sikh
- J Zoroastrian
- K Other
- L None
- M Declines to Disclose
- N Patient Religion Unknown

---

**RELIGIOUS OR OTHER BELIEF SYSTEM AFFILIATION GROUP CODE**

---

Change to Attribute: Changed Description

- Changed Description

---

**ACCESSIBLE INFORMATION COMMUNICATION SUPPORT CODE (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[ACCESSIBLE INFORMATION COMMUNICATION SUPPORT CODE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[ACCESSIBLE INFORMATION COMMUNICATION SUPPORT CODE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify that the [PATIENT](#) requires support (aids/equipment/adjustments) to enable communication.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Accessible information – communication support
- [Subset](#) Original Id: 58921000000137
- [Refset](#) FSN: Accessible information - communication support simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002121000000109

For further details relating to the [SNOMED CT Subset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information – communication support](#). For further details relating to the [SNOMED CT Refset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information - communication support](#).

#### ACCESSIBLE INFORMATION COMMUNICATION SUPPORT CODE (SNOMED CT)

Change to Data Element: Changed Description

- Changed Description

#### ACCESSIBLE INFORMATION CONTACT METHOD CODE (SNOMED CT)

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[ACCESSIBLE INFORMATION CONTACT METHOD CODE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[ACCESSIBLE INFORMATION CONTACT METHOD CODE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify that the [PATIENT](#) requires a different or specific contact method.

#### ~~SNOMED CT Subset~~ Metadata: [SNOMED CT Refset](#) Metadata:

- [Subset](#) Name: Accessible Information – requires specific contact method
- [Subset](#) Original Id: 58931000000135
- [Refset](#) FSN: Accessible information - requires specific contact method simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002131000000106

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information - requires specific contact method](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information - requires specific contact method](#).

---

#### ACCESSIBLE INFORMATION CONTACT METHOD CODE (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### ACCESSIBLE INFORMATION PROFESSIONAL REQUIRED CODE (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[ACCESSIBLE INFORMATION PROFESSIONAL REQUIRED CODE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[ACCESSIBLE INFORMATION PROFESSIONAL REQUIRED CODE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify that the [PATIENT](#) requires support from a communication professional.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: ~~Accessible Information - requires communication professional~~
- [Subset](#) Original Id: 58951000000133
- [Refset](#) FSN: Accessible information - requires communication professional simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002151000000104

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information - requires communication professional](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information - requires communication professional](#).



---

**ACCESSIBLE INFORMATION PROFESSIONAL REQUIRED CODE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**ACCESSIBLE INFORMATION SPECIFIC INFORMATION FORMAT CODE (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[ACCESSIBLE INFORMATION SPECIFIC INFORMATION FORMAT CODE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[ACCESSIBLE INFORMATION SPECIFIC INFORMATION FORMAT CODE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify that the [PATIENT](#) requires information in a specific format.

**[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):**

- [Subset](#) Name: Accessible Information — requires specific information format
- [Subset](#) Original Id: 58941000000130
- [Refset](#) FSN: Accessible information - requires specific information format simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002141000000102

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information — requires specific information format](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accessible Information - requires specific information format](#).

---

**ACCESSIBLE INFORMATION SPECIFIC INFORMATION FORMAT CODE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description
-

## ACCOMMODATION STATUS (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

### Notes:

[ACCOMMODATION STATUS \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[ACCOMMODATION STATUS \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the details of the [ACCOMMODATION](#) of the [PERSON](#).

### [SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset](#) Name: ~~Emergency care usual residence type~~
- [Subset](#) Original Id: 72091000000139
- [Refset](#) FSN: Emergency care usual residence type simple reference set (foundation metadata concept)
- [Refset](#) Id: 999003051000000109

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Accommodation Status](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care usual residence type](#).~~

---

## ACCOMMODATION STATUS (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

## AIDS DEFINING ILLNESS CODE ADULT (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[AIDS DEFINING ILLNESS CODE ADULT \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[AIDS DEFINING ILLNESS CODE ADULT \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to identify the type of Acquired Immune Deficiency Syndrome (AIDS) defining illness a [PATIENT](#) is diagnosed with.

[AIDS DEFINING ILLNESS CODE ADULT \(SNOMED CT\)](#) is used for adult [PERSONS](#) over 15 years of age.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- ~~Subset Name: AIDS defining illness for adults~~
- ~~Subset Original Id: 693110000000130~~
- Refset FSN: Acquired immune deficiency syndrome defining illness for adults simple reference set (foundation metadata concept)
- Refset Id : 999002431000000102

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [AIDS defining illness for adults](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [AIDS defining illness for adults](#).

---

**AIDS DEFINING ILLNESS CODE ADULT (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**ANTIRETROVIRAL THERAPY DRUG (SNOMED CT DM+D)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[ANTIRETROVIRAL THERAPY DRUG \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[ANTIRETROVIRAL THERAPY DRUG \(SNOMED CT DM+D\)](#) is the [SNOMED CT®](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the [Antiretroviral Therapy](#) drug prescribed to a [PATIENT](#) at the [HIV Clinic Attendance](#).

[SNOMED CT Subset Metadata:SNOMED CT Refset Metadata:](#)

- ~~Subset Name: NHS dm+d VTM~~
- ~~Subset Original Id: 601000001138~~
- ~~Refset FSN: National Health Service dictionary of medicines and devices virtual therapeutic moiety simple reference set (foundation metadata concept)~~
- ~~Refset Id : 999000581000001102~~

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [NHS dm+d VTM](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [NHS dm+d VTM](#).

---

#### ANTIRETROVIRAL THERAPY DRUG (SNOMED CT DM+D)

---

Change to Data Element: Changed Description

- Changed Description

---

#### ASSISTIVE TECHNOLOGY FINDING (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[ASSISTIVE TECHNOLOGY FINDING \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[ASSISTIVE TECHNOLOGY FINDING \(SNOMED CT\)](#) is the [SNOMED CT](#) concept ID which is used to identify the finding relating to the [Assistive Technology](#) that a [PERSON](#) is dependent on.~~ [ASSISTIVE TECHNOLOGY FINDING \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID

which is used to identify the finding relating to the [Assistive Technology](#) that a [PERSON](#) is dependent on.

---

#### CHLAMYDIA TEST RESULT (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[CHLAMYDIA TEST RESULT \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[CHLAMYDIA TEST RESULT \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the result of the Chlamydia test.

#### [SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Chlamydia test result findings
- [Subset](#) Original Id: 58851000000137
- [Refset](#) FSN: Chlamydia test result findings simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002091000000108

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Chlamydia test result findings](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Chlamydia test result findings](#).

---

#### CHLAMYDIA TEST RESULT (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### CODED ASSESSMENT TOOL TYPE (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[CODED ASSESSMENT TOOL TYPE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[CODED ASSESSMENT TOOL TYPE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify an [ASSESSMENT TOOL](#).

~~Nationally published [SNOMED CT Subset Metadata](#) can be found on the [Data Dictionary for Care \(DD4C\)](#) website at: [Published Subset Metadata](#).~~ Nationally published [SNOMED CT Refset Metadata](#) can be found on the [Data Dictionary for Care \(DD4C\)](#) website at: [Published Subset Metadata](#).

---

**COMORBIDITY (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[COMORBIDITY \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[COMORBIDITY \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify comorbid conditions.

~~[SNOMED CT Subset Metadata](#)~~: [SNOMED CT Refset Metadata](#):

- ~~[Subset Name](#)~~: Comorbid conditions for selection
- ~~[Subset](#)~~ 61071000000137
- [Refset](#) FSN: Comorbid conditions for selection simple reference set (foundation metadata concept)
- [Refset](#) Id: 991381000000107

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Comorbid conditions for selection](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Comorbid conditions for selection](#).

---

#### COMORBIDITY (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### DIAGNOSIS (SNOMED CT ON ADMISSION TO NEONATAL CRITICAL CARE)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[DIAGNOSIS \(SNOMED CT ON ADMISSION TO NEONATAL CRITICAL CARE\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[DIAGNOSIS \(SNOMED CT ON ADMISSION TO NEONATAL CRITICAL CARE\)](#) is the [SNOMED CT](#) concept ID describing a [PATIENT DIAGNOSIS](#) for the baby on admission to neonatal critical care.~~ [DIAGNOSIS \(SNOMED CT ON ADMISSION TO NEONATAL CRITICAL CARE\)](#) is the [SNOMED CT®](#) concept ID describing a [PATIENT DIAGNOSIS](#) for the baby on admission to neonatal critical care.

---

#### DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE) is the same as attribute CLINICAL TERMINOLOGY CODE.

~~DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE) is the SNOMED CT concept ID describing a PATIENT DIAGNOSIS made on a Neonatal Critical Care Daily Care Date during a Neonatal CRITICAL CARE PERIOD.~~ DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE) is the SNOMED CT® concept ID describing a PATIENT DIAGNOSIS made on a Neonatal Critical Care Daily Care Date during a Neonatal CRITICAL CARE PERIOD.

---

**DIAGNOSIS (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)**

---

Change to Data Element: Changed Description

Format/Length:	See <u>SNOMED CT CODE</u>
National Codes:	
Default Codes:	

**Notes:**

DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE) is the same as attribute CLINICAL TERMINOLOGY CODE.

~~DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE) is the SNOMED CT concept ID describing a PATIENT DIAGNOSIS recorded when the PATIENT is discharged from neonatal critical care.~~ DIAGNOSIS (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE) is the SNOMED CT® concept ID describing a PATIENT DIAGNOSIS recorded when the PATIENT is discharged from neonatal critical care.

DIAGNOSIS (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE) should include any PATIENT DIAGNOSES which were not recorded as expected on the applicable Neonatal Critical Care Daily Care Date during a Neonatal CRITICAL CARE PERIOD.

---

**EMERGENCY CARE ACUITY (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <u>SNOMED CT CODE</u>
----------------	---------------------------



National Codes:

Default Codes:

**Notes:**

[EMERGENCY CARE ACUITY \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE ACUITY \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to indicate the acuity of the [PATIENT](#)'s condition on the [Emergency Care Initial Assessment Date](#) and [Emergency Care Initial Assessment Time](#).

The [EMERGENCY CARE ACUITY \(SNOMED CT\)](#) may be determined by a formal triage process, or by the physical allocation of the [PATIENT](#) to a specific clinical area such as Resuscitation.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care acuity
- [Subset](#) Original Id: 75071000000132
- [Refset](#) FSN: Emergency care acuity simple reference set (foundation metadata concept)
- [Refset](#) Id: 99900306100000107

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care acuity](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care acuity](#).

---

**EMERGENCY CARE ACUITY (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE ARRIVAL MODE (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:

See [SNOMED CT CODE](#)

National Codes:

Default Codes:

**Notes:**

[EMERGENCY CARE ARRIVAL MODE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE ARRIVAL MODE \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to identify the transport mode by which the [PATIENT](#) arrived at the [Emergency Care Department](#).

[SNOMED CT Subset](#) Metadata:[SNOMED CT Refset](#) Metadata:

- [Subset](#) Name: Emergency care arrival mode
- [Subset](#) Original Id: 72101000000133
- [Refset](#) FSN: Emergency care arrival mode simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002981000000107

~~For further details relating to the [SNOMED CT Subset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care arrival mode](#).~~ For further details relating to the [SNOMED CT Refset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care arrival mode](#).

---

**EMERGENCY CARE ARRIVAL MODE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE ATTENDANCE SOURCE (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE ATTENDANCE SOURCE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE ATTENDANCE SOURCE \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to indicate the source of an [Emergency Care Attendance](#).

[SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care attendance source
- [Subset](#) Original Id: 75011000000136
- [Refset](#) FSN: Emergency care source of attendance findings simple reference set (foundation metadata concept)
- [Refset](#) Id: 99900299100000109

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care attendance source](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care attendance source](#).

---

**EMERGENCY CARE ATTENDANCE SOURCE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE CHIEF COMPLAINT (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE CHIEF COMPLAINT \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE CHIEF COMPLAINT \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to indicate the nature of the [PATIENT](#)'s chief complaint as assessed by the [CARE PROFESSIONAL](#) first assessing the [PATIENT](#).

[SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care presenting complaints or issues
- [Subset](#) Original Id: 63491000000132

- [Refset](#) FSN: Emergency care presenting complaints or issues simple reference set (foundation metadata concept)
- [Refset](#) Id: 991401000000107

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care presenting complaints or issues](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care presenting complaints or issues](#).

#### EMERGENCY CARE CHIEF COMPLAINT (SNOMED CT)

Change to Data Element: Changed Description

- Changed Description

#### EMERGENCY CARE CLINICAL INVESTIGATION (SNOMED CT)

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[EMERGENCY CARE CLINICAL INVESTIGATION \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE CLINICAL INVESTIGATION \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify a [Clinical Investigation](#) performed while a [PATIENT](#) is under the care of an [Emergency Care Department](#).

#### ~~SNOMED CT Subset Metadata~~: [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care investigations
- [Subset](#) Original Id: 635410000000137
- [Refset](#) FSN: Emergency care investigations simple reference set (foundation metadata concept)
- [Refset](#) Id: 991261000000107

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care investigations](#). For further details relating to the

[SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care investigations](#).

---

#### EMERGENCY CARE CLINICAL INVESTIGATION (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### EMERGENCY CARE DIAGNOSIS (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[EMERGENCY CARE DIAGNOSIS \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE DIAGNOSIS \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the [PATIENT DIAGNOSIS](#).

#### ~~[SNOMED CT Subset Metadata](#)~~: [SNOMED CT Refset Metadata](#):

- ~~[Subset](#) Name: Emergency care diagnosis~~
- ~~[Subset](#) 63481000000130~~
- ~~[Refset](#) FSN: Emergency care diagnosis simple reference set (foundation metadata concept)~~
- ~~[Refset](#) Id: 991411000000109~~

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care diagnosis](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care diagnosis](#).

---

#### EMERGENCY CARE DIAGNOSIS (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE DIAGNOSIS QUALIFIER (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE DIAGNOSIS QUALIFIER \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE DIAGNOSIS QUALIFIER \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to express the level of certainty of a [PATIENT DIAGNOSIS](#).

[SNOMED CT Subset](#) Metadata: [SNOMED CT Refset](#) Metadata:

- [Subset](#) Name: Emergency care diagnosis qualifier
- [Subset](#) Original Id: 750210000000133
- [Refset](#) FSN: Emergency care diagnosis qualifier simple reference set (foundation metadata concept)
- [Refset](#) Id: 999003001000000108

For further details relating to the [SNOMED CT Subset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care diagnosis qualifier](#). For further details relating to the [SNOMED CT Refset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care diagnosis qualifier](#).

---

**EMERGENCY CARE DIAGNOSIS QUALIFIER (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE DISCHARGE DESTINATION (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE DISCHARGE DESTINATION \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE DISCHARGE DESTINATION \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the intended destination of the [PATIENT](#) following discharge from the [Emergency Care Department](#).

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset Name](#): Emergency care discharge destination
- [Subset Original Id](#): 750310000000130
- [Refset FSN](#): Emergency care discharge destination simple reference set (foundation metadata concept)
- [Refset Id](#): 999003011000000105

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care discharge destination](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care discharge destination](#).

---

**EMERGENCY CARE DISCHARGE DESTINATION (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE DISCHARGE FOLLOW UP (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE DISCHARGE FOLLOW UP \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE DISCHARGE FOLLOW UP \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the [SERVICE](#) to which a [PATIENT](#) was referred for continuing care following an [Emergency Care Attendance](#).

[SNOMED CT Subset](#) Metadata: [SNOMED CT Refset](#) Metadata:

- [Subset](#) Name: Emergency care follow-up procedures
- [Subset](#) Original Id: 63571000000134
- [Refset](#) FSN: Emergency care follow-up procedures simple reference set (foundation metadata concept)
- [Refset](#) Id: 991441000000105

For further details relating to the [SNOMED CT Subset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care follow-up procedures](#). For further details relating to the [SNOMED CT Refset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care follow-up procedures](#).

---

#### EMERGENCY CARE DISCHARGE FOLLOW UP (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### EMERGENCY CARE DISCHARGE INFORMATION GIVEN (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[EMERGENCY CARE DISCHARGE INFORMATION GIVEN \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE DISCHARGE INFORMATION GIVEN \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify whether a copy of a letter to their [GENERAL](#)



[PRACTITIONER](#) has been printed and given to the [PATIENT](#) on discharge from an [Emergency Care Department](#).

[SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care notification to general practitioner
- [Subset](#) Original Id: 63611000000139
- [Refset](#) FSN: Emergency care notification to general practitioner simple reference set (foundation metadata concept)
- [Refset](#) Id: 991241000000106

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care notification to general practitioner](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care notification to general practitioner](#).

---

**EMERGENCY CARE DISCHARGE INFORMATION GIVEN (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE DISCHARGE STATUS (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE DISCHARGE STATUS \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE DISCHARGE STATUS \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used indicate the status of the [PATIENT](#) on discharge from an [Emergency Care Department](#).

[SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care discharge status
- [Subset](#) Original Id: 75041000000135

- [Refset](#) FSN: Emergency care discharge status simple reference set (foundation metadata concept)
- [Refset](#) Id: 999003021000000104

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care discharge status](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care discharge status](#).

#### EMERGENCY CARE DISCHARGE STATUS (SNOMED CT)

Change to Data Element: Changed Description

- Changed Description

#### EMERGENCY CARE INJURY ACTIVITY STATUS (SNOMED CT)

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[EMERGENCY CARE INJURY ACTIVITY STATUS \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE INJURY ACTIVITY STATUS \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the status of activity being undertaken by the [PATIENT](#) when the injury occurred.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care injury activity status
- [Subset](#) Original Id: 75051000000137
- [Refset](#) FSN: Emergency care injury activity status simple reference set (foundation metadata concept)
- [Refset](#) Id: 999003031000000102

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care injury activity status](#). For further details relating to the

[SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care injury activity status](#).

---

#### EMERGENCY CARE INJURY ACTIVITY STATUS (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### EMERGENCY CARE INJURY ACTIVITY TYPE (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[EMERGENCY CARE INJURY ACTIVITY TYPE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE INJURY ACTIVITY TYPE \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to identify the type of activity being undertaken by the [PERSON](#) at the moment the injury occurred.

~~[SNOMED CT Subset Metadata](#)~~: [SNOMED CT Refset Metadata](#):

- [Subset Name](#): ~~Emergency care injury activity type~~
- [Subset Original Id](#): 635110000000138
- [Refset FSN](#): Emergency care injury activity type simple reference set (foundation metadata concept)
- [Refset Id](#): 1024501000000108

For further details relating to the ~~[SNOMED CT Subset Metadata](#)~~, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care injury activity type](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care injury activity type](#).

---

#### EMERGENCY CARE INJURY ACTIVITY TYPE (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE INJURY ALCOHOL OR DRUG INVOLVEMENT (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE INJURY ALCOHOL OR DRUG INVOLVEMENT \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE INJURY ALCOHOL OR DRUG INVOLVEMENT \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify any drugs or alcohol used by the [PATIENT](#), which are thought likely to have contributed to the need to attend the [Emergency Care Department](#).

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: ~~Emergency care drug or alcohol use related to injury~~
- [Subset](#) Original Id: 637810000000138
- [Refset](#) FSN: Emergency care drug or alcohol use related to injury simple reference set (foundation metadata concept)
- [Refset](#) Id: 991421000000103

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care drug or alcohol use related to injury](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care drug or alcohol use related to injury](#).~~

---

**EMERGENCY CARE INJURY ALCOHOL OR DRUG INVOLVEMENT (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE INJURY INTENT (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE INJURY INTENT \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE INJURY INTENT \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the most likely human intent in the occurrence of the injury or poisoning as assessed by the [CARE PROFESSIONAL](#).

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care injury intent type
- [Subset](#) Original Id: 63531000000132
- [Refset](#) FSN: Emergency care injury intent type simple reference set (foundation metadata concept)
- [Refset](#) Id: 991431000000101

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care injury intent type](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care injury intent type](#).

---

**EMERGENCY CARE INJURY INTENT (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE INJURY MECHANISM (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE INJURY MECHANISM \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE INJURY MECHANISM \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to identify how an injury was caused.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care mechanism of injury
- [Subset](#) Original Id: 63521000000130
- [Refset](#) FSN: Emergency care mechanism of injury simple reference set (foundation metadata concept)
- [Refset](#) Id: 991281000000103

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care mechanism of injury](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care mechanism of injury](#).

---

**EMERGENCY CARE INJURY MECHANISM (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**EMERGENCY CARE PLACE OF INJURY (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[EMERGENCY CARE PLACE OF INJURY \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE PLACE OF INJURY \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the type of [LOCATION](#) at which the [PATIENT](#) was present when the injury occurred.

[SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care place of injury type
- [Subset](#) Original Id: 63731000000137
- [Refset](#) FSN: Emergency care place of injury type simple reference set (foundation metadata concept)
- [Refset](#) Id: 99129100000101

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care place of injury type](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care place of injury type](#).

---

#### EMERGENCY CARE PLACE OF INJURY (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### EMERGENCY CARE PROCEDURE (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[EMERGENCY CARE PROCEDURE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[EMERGENCY CARE PROCEDURE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify a [Patient Procedure](#) performed while a [PATIENT](#) is under the care of an [Emergency Care Department](#).

[SNOMED CT Subset Metadata](#):[SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Emergency care treatments

- [Subset](#) Original Id: 611000000135
- [Refset](#) FSN: Emergency care treatments simple reference set (foundation metadata concept)
- [Refset](#) Id: 991271000000100

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care treatments](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Emergency care treatments](#).

#### EMERGENCY CARE PROCEDURE (SNOMED CT)

Change to Data Element: Changed Description

- Changed Description

#### FORMULA MILK OR MILK FORTIFIER TYPE (SNOMED CT DM+D)

Change to Data Element: Changed Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[FORMULA MILK OR MILK FORTIFIER TYPE \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[FORMULA MILK OR MILK FORTIFIER TYPE \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#) code from the [NHS Dictionary of Medicines and Devices](#) which is used to identify a type of formula milk or milk fortifier.~~ [FORMULA MILK OR MILK FORTIFIER TYPE \(SNOMED CT DM+D\)](#) is the [SNOMED CT®](#) code from the [NHS Dictionary of Medicines and Devices](#) which is used to identify a type of formula milk or milk fortifier.

For the [National Neonatal Data Set - Episodic and Daily Care](#), [FORMULA MILK OR MILK FORTIFIER TYPE \(SNOMED CT DM+D\)](#) indicates the type of formula milk or milk fortifier the baby received on the [NEONATAL CRITICAL CARE DAILY CARE DATE](#).



**IMAGING CODE (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[IMAGING CODE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[IMAGING CODE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the [Diagnostic Imaging](#) test.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: UK Diagnostic Imaging Procedure Concepts
- [Subset](#) Original Id: 611000000135
- [Refset](#) FSN: United Kingdom diagnostic imaging procedure simple reference set (foundation metadata concept)
- [Refset](#) Id: 999001111000000105

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [UK Diagnostic Imaging Procedure Concepts](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [UK Diagnostic Imaging Procedure Concepts](#).~~

**[IMAGING CODE \(SNOMED-CT\)](#) will be replaced with [IMAGING CODE \(SNOMED CT\)](#), which is the most recent approved national information standard to describe the required definition.**

---

**IMAGING CODE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**IMAGING CODE (SNOMED-CT)**

---

Change to Data Element: Changed Description

---

Format/Length:	max n18
National Codes:	
Default Codes:	

**Notes:**

[IMAGING CODE \(SNOMED-CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[IMAGING CODE \(SNOMED-CT\)](#) is the [SNOMED CT](#)® concept ID which is used to identify the [Diagnostic Imaging](#) test.

The [SNOMED CT Subset: SNOMED CT Refset Metadata](#):

- original ID is 611000000135
- name is 'UK Diagnostic Imaging Procedure Concepts'.
- [Refset FSN: United Kingdom diagnostic imaging procedure simple reference set \(foundation metadata concept\)](#)
- [Refset Id: 999001111000000105](#)

For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [UK Diagnostic Imaging Procedure Concepts](#).

[IMAGING CODE \(SNOMED-CT\)](#) will be replaced with [IMAGING CODE \(SNOMED CT\)](#), which is the most recent approved national information standard to describe the required definition.

---

**IMAGING CODE (SNOMED-CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**INTERPRETER LANGUAGE (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

INTERPRETER LANGUAGE (SNOMED CT) is the same as attribute CLINICAL TERMINOLOGY CODE.

INTERPRETER LANGUAGE (SNOMED CT) is the SNOMED CT® concept ID which is used to record the LANGUAGE of the interpreter required by the PERSON.

SNOMED CT Subset Metadata: SNOMED CT Refset Metadata:

- Subset Name: Interpreter type findings
- Subset Original Id: 63651000000135
- Refset FSN: Interpreter type findings simple reference set
- Refset Id: 991231000000102

For further details relating to the SNOMED CT Subset Metadata, see the Data Dictionary for Care (DD4C) website at: Interpreter type findings. For further details relating to the SNOMED CT Refset Metadata, see the Data Dictionary for Care (DD4C) website at: Interpreter type findings.

---

**INTERPRETER LANGUAGE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**MEDICATION GIVEN DURING LABOUR (SNOMED CT DM+D)**

---

Change to Data Element: Changed Description

Format/Length:	See <u>DM+D CODE</u>
National Codes:	
Default Codes:	

**Notes:**

MEDICATION GIVEN DURING LABOUR (SNOMED CT DM+D) is the same as attribute CLINICAL TERMINOLOGY CODE.

MEDICATION GIVEN DURING LABOUR (SNOMED CT DM+D) is the SNOMED CT concept ID from the NHS Dictionary of Medicines and Devices which is used to identify the type of medication given to the mother during Labour and Delivery. MEDICATION GIVEN DURING LABOUR (SNOMED CT DM+D) is the SNOMED CT® concept ID from the NHS Dictionary of

Medicines and Devices which is used to identify the type of medication given to the mother during Labour and Delivery.

Further details of the permitted SNOMED CT codes from the NHS Dictionary of Medicines and Devices can be found on the Neonatal Data Analysis Unit website. Further details of the permitted SNOMED CT® codes from the NHS Dictionary of Medicines and Devices can be found on the Neonatal Data Analysis Unit website.

---

**MEDICATION GIVEN DURING NEONATAL CRITICAL CARE DAILY CARE DATE (SNOMED CT DM+D)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[MEDICATION GIVEN DURING NEONATAL CRITICAL CARE DAILY CARE DATE \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[MEDICATION GIVEN DURING NEONATAL CRITICAL CARE DAILY CARE DATE \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the type of medication given to the baby on a [NEONATAL CRITICAL CARE DAILY CARE DATE](#).~~ [MEDICATION GIVEN DURING NEONATAL CRITICAL CARE DAILY CARE DATE \(SNOMED CT DM+D\)](#) is the SNOMED CT® concept ID from the NHS Dictionary of Medicines and Devices which is used to identify the type of medication given to the baby on a [NEONATAL CRITICAL CARE DAILY CARE DATE](#).

Further details of the permitted SNOMED CT codes from the NHS Dictionary of Medicines and Devices can be found on the Neonatal Data Analysis Unit website. Further details of the permitted SNOMED CT® codes from the NHS Dictionary of Medicines and Devices can be found on the Neonatal Data Analysis Unit website.

---

**NEONATAL RESUSCITATION DRUG (SNOMED CT DM+D)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">DM+D CODE</a>
----------------	-------------------------------

National Codes:  
Default Codes:

**Notes:**

[NEONATAL RESUSCITATION DRUG \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[NEONATAL RESUSCITATION DRUG \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the drug given to resuscitate a [Neonate](#).~~ [NEONATAL RESUSCITATION DRUG \(SNOMED CT DM+D\)](#) is the [SNOMED CT®](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the drug given to resuscitate a [Neonate](#).

~~Further details of the permitted [SNOMED CT](#) codes from the [NHS Dictionary of Medicines and Devices](#) can be found at the [Neonatal Data Analysis Unit](#) website.~~ Further details of the permitted [SNOMED CT®](#) codes from the [NHS Dictionary of Medicines and Devices](#) can be found at the [Neonatal Data Analysis Unit](#) website.

---

**OCCUPATION MOTHER (SNOMED CT)**

Change to Data Element: Changed Description

Format/Length: See [SNOMED CT CODE](#)  
National Codes:  
Default Codes:

**Notes:**

[OCCUPATION MOTHER \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[OCCUPATION MOTHER \(SNOMED CT\)](#) is the [SNOMED CT](#) concept ID describing the occupation of the mother in a [Maternity Episode](#).~~ [OCCUPATION MOTHER \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID describing the occupation of the mother in a [Maternity Episode](#).

---

**PREFERRED SPOKEN LANGUAGE (SNOMED CT)**

Change to Data Element: Changed Description

Format/Length: See [SNOMED CT CODE](#)  
National Codes:  
Default Codes:

**Notes:**

[PREFERRED SPOKEN LANGUAGE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[PREFERRED SPOKEN LANGUAGE \(SNOMED CT\)](#) is the [SNOMED CT](#)® concept ID which is used to capture the preferred spoken [LANGUAGE](#) of the [PERSON](#).

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Preferred spoken language findings
- [Subset](#) Original Id: 58761000000134
- [Refset](#) FSN: Preferred spoken language findings simple reference set
- [Refset](#) Id: 991181000000109

~~For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Preferred spoken language findings](#).~~ For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Preferred spoken language findings](#).

---

**PREFERRED SPOKEN LANGUAGE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**PROCEDURE (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE)**

---

Change to Data Element: Changed Description

Format/Length: See [SNOMED CT CODE](#)  
National Codes:  
Default Codes:

**Notes:**

[PROCEDURE \(SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~PROCEDURE (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE)~~ is the ~~SNOMED CT~~ concept ID for a ~~Patient Procedure~~ carried out on a ~~NEONATAL CRITICAL CARE DAILY CARE DATE~~ during a neonatal ~~CRITICAL CARE PERIOD~~.  
~~PROCEDURE (SNOMED CT ON NEONATAL CRITICAL CARE DAILY CARE DATE)~~ is the ~~SNOMED CT®~~ concept ID for a ~~Patient Procedure~~ carried out on a ~~NEONATAL CRITICAL CARE DAILY CARE DATE~~ during a neonatal ~~CRITICAL CARE PERIOD~~.

---

**PROCEDURE (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

~~PROCEDURE (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)~~ is the same as attribute ~~CLINICAL TERMINOLOGY CODE~~.

~~PROCEDURE (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)~~ is the ~~SNOMED CT~~ concept ID for a ~~Patient Procedure~~ recorded when the ~~PATIENT~~ is discharged from a ~~Neonatal Intensive Care Unit~~.  
~~PROCEDURE (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)~~ is the ~~SNOMED CT®~~ concept ID for a ~~Patient Procedure~~ recorded when the ~~PATIENT~~ is discharged from a ~~Neonatal Intensive Care Unit~~.

~~PROCEDURE (SNOMED CT RECORDED ON DISCHARGE FROM NEONATAL CRITICAL CARE)~~ should include any ~~Patient Procedures~~ which were not recorded as expected on the applicable ~~Neonatal Critical Care Daily Care Date~~ during a Neonatal ~~CRITICAL CARE PERIOD~~.

---

**REFERRED TO SERVICE (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

REFERRED TO SERVICE (SNOMED CT) is the same as attribute CLINICAL TERMINOLOGY CODE.

REFERRED TO SERVICE (SNOMED CT) is the SNOMED CT® concept ID which is used to identify the SERVICE to which a PATIENT was referred for admission or opinion by the treating CARE PROFESSIONAL.

SNOMED CT Subset Metadata:SNOMED CT Refset Metadata:

- Subset Name: Emergency care referral procedures
- Subset Original Id: 63501000000135
- Refset FSN: Emergency care referral procedures simple reference set (foundation metadata concept)
- Refset Id: 991451000000108

~~For further details relating to the SNOMED CT Subset Metadata, see the Data Dictionary for Care (DD4C) website at: Emergency care referral procedures.~~ For further details relating to the SNOMED CT Refset Metadata, see the Data Dictionary for Care (DD4C) website at: Emergency care referral procedures.

---

**REFERRED TO SERVICE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**SAFEGUARDING CONCERN (SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <u>SNOMED CT CODE</u>
National Codes:	
Default Codes:	

**Notes:**

SAFEGUARDING CONCERN (SNOMED CT) is the same as attribute CLINICAL TERMINOLOGY CODE.



[SAFEGUARDING CONCERN \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to identify an unresolved issue or concern regarding adult and child safeguarding that requires communication to another [ORGANISATION](#) or care agency.

[SNOMED CT Subset Metadata:SNOMED CT Refset Metadata:](#)

- [Subset](#) Name: Safeguarding issues
- [Subset](#) Original Id: 69241000000138
- [Refset](#) FSN: Safeguarding issues simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002381000000108

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Safeguarding issues](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Safeguarding issues](#).

---

#### SAFEGUARDING CONCERN (SNOMED CT)

---

Change to Data Element: Changed Description

- Changed Description

---

#### SAMPLE ANTIBIOTIC SENSITIVITY RESULT (SNOMED CT DM+D)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[SAMPLE ANTIBIOTIC SENSITIVITY RESULT \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[SAMPLE ANTIBIOTIC SENSITIVITY RESULT \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the antibiotics to which a culture [SAMPLE](#) is sensitive (i.e. which antibiotics are most likely to successfully treat a bacterial infection). [SAMPLE ANTIBIOTIC SENSITIVITY RESULT \(SNOMED CT DM+D\)](#) is the [SNOMED CT®](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the antibiotics to which a culture [SAMPLE](#) is sensitive (i.e. which antibiotics are most likely to successfully treat a bacterial infection).

Further details of the permitted [SNOMED CT](#) codes from the [NHS Dictionary of Medicines and Devices](#) can be found on the [Neonatal Data Analysis Unit](#) website. Further details of the permitted [SNOMED CT®](#) codes from the [NHS Dictionary of Medicines and Devices](#) can be found on the [Neonatal Data Analysis Unit](#) website.

---

#### SAMPLE TEST RESULT ORGANISM TYPE (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[SAMPLE TEST RESULT ORGANISM TYPE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[SAMPLE TEST RESULT ORGANISM TYPE \(SNOMED CT\)](#) is the [SNOMED CT](#) concept ID describing the organism found in a culture [SAMPLE](#).~~ [SAMPLE TEST RESULT ORGANISM TYPE \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID describing the organism found in a culture [SAMPLE](#).

---

#### SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

#### Notes:

[SEXUAL HEALTH SERVICE ATTENDANCE SOURCE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[SEXUAL HEALTH SERVICE ATTENDANCE SOURCE \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to indicate the source of an attendance for a [Sexual Health Service](#).

SNOMED CT Subset Metadata:SNOMED CT Refset Metadata:

- Subset Name: Sexual health source of attendance
- Subset Original Id: 77761000000130
- Refset FSN: Sexual health source of attendance simple reference set (foundation metadata concept)
- Refset Id: 999003111000000106

For further details relating to the SNOMED CT Subset Metadata, see the Data Dictionary for Care (DD4C) website at: Sexual Health Source of Attendance. For further details relating to the SNOMED CT Refset Metadata, see the Data Dictionary for Care (DD4C) website at: Sexual Health Source of Attendance.

---

**SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description

---

**SNOMED CT CODE**

---

Change to Data Element: Changed Description

Format/Length:	min n6 max n18
National Codes:	
Default Codes:	

**Notes:**

SNOMED CT CODE is the same as attribute CLINICAL TERMINOLOGY CODE.

~~SNOMED CT CODE is the SNOMED CT concept ID which is used to identify the CODED CLINICAL ENTRY.~~ SNOMED CT CODE is the SNOMED CT® concept ID which is used to identify the CODED CLINICAL ENTRY.

---

**SNOMED CT EXPRESSION**

---

Change to Data Element: Changed Description

Format/Length:	an
National Codes:	
Default Codes:	

**Notes:**

[SNOMED CT EXPRESSION](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[SNOMED CT EXPRESSION](#) is a structured combination of one or more [SNOMED CT](#) concept identifiers to express a clinical idea. [SNOMED CT EXPRESSION](#) is a structured combination of one or more [SNOMED CT®](#) concept identifiers to express a clinical idea.

For further information on [SNOMED CT EXPRESSIONS](#), see the [SNOMED CT](#) Glossary at: [Expression](#). For further information on [SNOMED CT EXPRESSIONS](#), see the [SNOMED CT®](#) Glossary at: [Expression](#).

---

**SPECIMEN TYPE (CHLAMYDIA TESTING SNOMED CT)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">SNOMED CT CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[SPECIMEN TYPE \(CHLAMYDIA TESTING SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[SPECIMEN TYPE \(CHLAMYDIA TESTING SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to identify the type of specimen used for Chlamydia testing.

[SNOMED CT Subset Metadata](#): [SNOMED CT Refset Metadata](#):

- [Subset](#) Name: Chlamydia test procedures
- [Subset](#) Original Id: 58831000000130
- [Refset](#) FSN: Chlamydia test procedures simple reference set (foundation metadata concept)
- [Refset](#) Id: 999002071000000109

For further details relating to the [SNOMED CT Subset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Chlamydia test procedures](#). For further details relating to the [SNOMED CT Refset Metadata](#), see the [Data Dictionary for Care \(DD4C\)](#) website at: [Chlamydia test procedures](#).

**SPECIMEN TYPE (CHLAMYDIA TESTING SNOMED CT)**

---

Change to Data Element: Changed Description

- Changed Description
- 

**STEROID TYPE GIVEN TO MOTHER (SNOMED CT DM+D)**

---

Change to Data Element: Changed Description

Format/Length:	See <a href="#">DM+D CODE</a>
National Codes:	
Default Codes:	

**Notes:**

[STEROID TYPE GIVEN TO MOTHER \(SNOMED CT DM+D\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

~~[STEROID TYPE GIVEN TO MOTHER \(SNOMED CT DM+D\)](#) is the [SNOMED CT](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the type of steroid given to the mother during a [Maternity Episode](#) in order to mature the fetal lungs.~~ [STEROID TYPE GIVEN TO MOTHER \(SNOMED CT DM+D\)](#) is the [SNOMED CT®](#) concept ID from the [NHS Dictionary of Medicines and Devices](#) which is used to identify the type of steroid given to the mother during a [Maternity Episode](#) in order to mature the fetal lungs.

Further details of the permitted [SNOMED CT®](#) codes from the [NHS Dictionary of Medicines and Devices](#) can be found at the [Neonatal Data Analysis Unit](#) website.

---

For enquiries about this Change Request, please email [information.standards@nhs.net](mailto:information.standards@nhs.net)

