

NHS Data Model and Dictionary



Type:	Data Dictionary Change Notice
Reference:	1722
Version No:	1.0
Subject:	GUMCAD Sexually Transmitted Infection Surveillance System Data Set
Effective Date:	Immediate
Reason for Change:	National Code list correction
Publication Date:	23 July 2019

Background:

It has been identified that a National Code within the attribute SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR code list is incorrect. This attribute is used in the GUMCAD Sexually Transmitted Infection Surveillance System Data Set.

Note that this amendment to the NHS Data Model and Dictionary does not change the published Information Standard [DCB0139 Amd 21/2017](#).

This Data Dictionary Change request amends National Code N - 'Not Known (PERSON asked but declined to provide a response)' to Z - 'Not Stated (PERSON asked but declined to provide a response)' in the NHS Data Model and Dictionary to support the Information Standard.

To view a demonstration on "How to Read an NHS Data Model and Dictionary Change Request", visit the NHS Data Model and Dictionary help pages at: https://www.datadictionary.nhs.uk/Flash_Files/changerequest.htm.

Note: if the web page does not open, please copy the link and paste into the web browser.

Summary of changes:

Data Set

[GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET](#)

Changed Dataset, Description

Supporting Information

[GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET OVERVIEW](#)

Changed Dataset

Attribute Definitions

<u>ACTIVITY DATE</u>	Changed Dataset
<u>ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset, Description
<u>ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset, Description
<u>CLINICAL CLASSIFICATION CODE</u>	Changed Dataset
<u>CLINICAL TERMINOLOGY CODE</u>	Changed Dataset
<u>CLINIC TYPE FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset
<u>CONDOMLESS SEX INDICATOR</u>	Changed Dataset
<u>CONSULTATION MEDIUM USED</u>	Changed Dataset
<u>CONSULTATION TYPE</u>	Changed Dataset
<u>COUNTRY CODE</u>	Changed Dataset
<u>ETHNIC CATEGORY CODE</u>	Changed Dataset
<u>GENDER IDENTITY CODE FOR SEXUAL HEALTH</u>	Changed Dataset
<u>GENDER IDENTITY SAME AT BIRTH INDICATOR</u>	Changed Dataset
<u>GEOGRAPHIC AREA CODE</u>	Changed Dataset
<u>HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS</u>	Changed Dataset
<u>LOCAL PATIENT IDENTIFIER</u>	Changed Dataset
<u>NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR</u>	Changed Dataset, Description
<u>NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE</u>	Changed Dataset, Description
<u>ORGANISATION IDENTIFIER</u>	Changed Dataset
<u>PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset, Description
<u>PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset, Description
<u>PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset
<u>PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset
<u>PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE</u>	Changed Dataset, Description
<u>PERSON COUNT</u>	Changed Dataset
<u>PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION</u>	Changed Dataset
<u>PERSON STATED SEXUAL ORIENTATION CODE</u>	Changed Dataset
<u>PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE</u>	Changed Dataset, Description

<u>PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON</u>	Changed Dataset
<u>PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE</u>	Changed Dataset, Description
<u>PRE EXPOSURE PROPHYLAXIS STOPPED REASON</u>	Changed Dataset, Description
<u>PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS</u>	Changed Dataset, Description
<u>SERVICE TYPE FOR SEXUAL HEALTH</u>	Changed Dataset
<u>SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE</u>	Changed Dataset, Description
<u>SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR</u>	Changed Dataset, Description
<u>SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR</u>	Changed Dataset, Description
<u>SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR</u>	Changed Dataset, Description
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR</u>	Changed Dataset, Description
Data Elements	
<u>AGE AT ATTENDANCE DATE</u>	Changed Dataset
<u>ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>ATTENDANCE DATE</u>	Changed Dataset
<u>CLINIC TYPE (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)</u>	Changed Dataset
<u>CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX)</u> renamed from <u>CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX)</u>	Changed Dataset, Name
<u>CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)</u>	Changed Dataset
<u>CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>CONSULTATION TYPE</u>	Changed Dataset
<u>COUNTRY CODE (BIRTH)</u>	Changed Dataset, Description
	Changed Dataset

<u>DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES)</u>	
<u>ETHNIC CATEGORY</u>	Changed Dataset
<u>GENDER IDENTITY CODE (SEXUAL HEALTH)</u>	Changed Dataset
<u>GENDER IDENTITY SAME AT BIRTH INDICATOR</u>	Changed Dataset
<u>HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)</u>	Changed Dataset, Description
<u>INITIAL PARTNER NOTIFICATION DISCUSSION DATE</u>	Changed Dataset, Description
<u>LOCAL PATIENT IDENTIFIER (EXTENDED)</u>	Changed Dataset
<u>LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE)</u>	Changed Dataset
<u>NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)</u>	Changed Dataset
<u>NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)</u>	Changed Dataset
<u>NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION</u>	Changed Dataset
<u>NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE</u>	Changed Dataset
<u>NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE</u>	Changed Dataset, Description
<u>NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION</u>	Changed Dataset
<u>NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)</u>	Changed Dataset
<u>NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)</u>	Changed Dataset
<u>NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)</u>	Changed Dataset
<u>ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT)</u>	Changed Dataset
<u>ORGANISATION SITE IDENTIFIER (OF TREATMENT)</u>	Changed Dataset
<u>PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)</u>	Changed Dataset

<u>PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)</u>	Changed Dataset
<u>PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)</u>	Changed Dataset
<u>PERSON STATED SEXUAL ORIENTATION CODE</u>	Changed Dataset
<u>PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE</u>	Changed Dataset
<u>PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON</u>	Changed Dataset
<u>PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE</u>	Changed Dataset
<u>PRE EXPOSURE PROPHYLAXIS STOPPED REASON</u>	Changed Dataset
<u>PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)</u>	Changed Dataset, Description
<u>SERVICE TYPE (SEXUAL HEALTH)</u>	Changed Dataset
<u>SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT)</u>	Changed Dataset
<u>SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)</u>	Changed Dataset
<u>SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE</u>	Changed Dataset
<u>SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)</u>	Changed Dataset
<u>SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR</u>	Changed Dataset, Description
<u>SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR</u>	Changed Dataset
<u>SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)</u>	Changed Dataset
	Changed Dataset

<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)</u>	
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)</u>	Changed Dataset
<u>SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)</u>	Changed Dataset

Date: 23 July 2019

Sponsor: Nicholas Oughtibridge, Head of Business and Operational Delivery, NHS Digital

Note: New text is shown with a blue background. Deleted text is crossed out. Retired text is shown in grey. Within the Diagrams deleted classes and relationships are red, changed items are blue and new items are green.

GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET

Change to Data Set: Changed Dataset, Description

[GUMCAD Sexually Transmitted Infection Surveillance System Data Set Overview](#)

For a "Full Screen" view, click [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#).

In the "Full Screen" view, to return to the "Data Set" view, click the browser "back" button.

~~The Mandatory or Optional (M/R) column indicates the recommendation for the inclusion of data.~~ The Mandatory or Required (M/R) column indicates the recommendation for the inclusion of data.

- M = Mandatory: this data element is mandatory and the technical process (e.g. submission of the data set, production of output etc) cannot be completed without this data element being present
- R = Required: NHS business processes cannot be delivered without this data element

SERVICE INFORMATION DETAILS

To carry the service information details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	ORGANISATION SITE IDENTIFIER (OF TREATMENT)
M	CLINIC TYPE (SEXUAL HEALTH SERVICE)

PERSONAL AND DEMOGRAPHIC DETAILS

To carry personal and demographic details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	LOCAL PATIENT IDENTIFIER (EXTENDED)
M	PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)
M	GENDER IDENTITY CODE (SEXUAL HEALTH)
M	GENDER IDENTITY SAME AT BIRTH INDICATOR
M	AGE AT ATTENDANCE DATE
M	PERSON STATED SEXUAL ORIENTATION CODE
M	ETHNIC CATEGORY
M	COUNTRY CODE (BIRTH)
M	ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT)
M	LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE)

CLINIC ATTENDANCE AND ACTIVITY DETAILS

To carry clinic attendance and activity details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)
M	ATTENDANCE DATE
M	CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)
M	CONSULTATION TYPE
M	SERVICE TYPE (SEXUAL HEALTH)
M	PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)

M	PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)
R	SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE Multiple occurrences of this data item are permitted or DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES) Multiple occurrences of this data item are permitted or SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT) Multiple occurrences of this data item are permitted or SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)
M	PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)
M	PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)
M	PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)

PARTNER DETAILS

To carry the opposite sex partnership details. One occurrence of this group is required.	
M/R	Data Set Data Elements
M	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)
M	NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)
M	CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX)
M	CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX)

To carry the male same sex partnership details. One occurrence of this group is required.	
M/R	Data Set Data Elements
M	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)
M	HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)
M	CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)
M	CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

To carry the female same sex partnership details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)
M	NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)

To carry the partner notification details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	INITIAL PARTNER NOTIFICATION DISCUSSION DATE
M	NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION
M	NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION
M	NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE
M	NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE

PRE-EXPOSURE PROPHYLAXIS (PrEP) DETAILS

To carry the Pre- Exposure Prophylaxis (PrEP) details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON
M	PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE
M	PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE
M	PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)
M	PRE EXPOSURE PROPHYLAXIS STOPPED REASON

DRUG AND ALCOHOL USAGE DETAILS

To carry drug and alcohol usage details.
One occurrence of this group is required.

M/R	Data Set Data Elements
M	ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)
M	ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)

M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)
M	SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)
M	SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR
M	SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR
M	SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

GUMCAD SEXUALLY TRANSMITTED INFECTION SURVEILLANCE SYSTEM DATA SET OVERVIEW

Change to Supporting Information: Changed Dataset

Contextual Overview

The [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#) provides essential public health information about Sexually Transmitted Infection (STI) diagnoses, treatments and [SERVICES](#) provided by [Level 3 Genitourinary Medicine Services](#) and commissioned [Level 2 Sexual Health Services](#).

The [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#) is used:

- To inform public health response and policy formulation for England
- To monitor the effectiveness of the policies introduced as part of the National Strategy for Sexual Health and Human Immunodeficiency Virus (HIV)
- For performance management at local and national level to ensure delivery of the national Public Service Agreement target on [Sexual Health Services](#)
- For better planning and management of [Sexual Health Services](#) at local level
- To adapt and refine clinical interventions, as appropriate

DATA EXTRACT SPECIFICATION

Description:

[Public Health England](#) require [Sexual Health Services](#) to generate and provide a data extract in accordance with the [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#). These [SERVICES](#) include:

- NHS providers of specialised [Level 3 Genitourinary Medicine Services](#), where the primary function of the specialist clinical multidisciplinary team is concerned with the provision of screening, diagnosis and management of Sexually Transmitted Infections and related genital medical conditions.
- All [Level 2 Sexual Health Services](#) commissioned by the NHS who offer testing, diagnostic and/or treatment of Sexually Transmitted Infections.

It should be noted that [General Practitioners with Special Interests \(GPwSI\)](#) will only be included if they operate from a [General Medical Practitioner Practice](#) that has been commissioned to provide a [Level 2 Sexual Health Service](#).

Time period: The extract must cover one calendar quarter.

Frequency: Reports must be run quarterly, 6 weeks after the end of the quarter.

Format: Data returned must be formatted into a single comma separated variable (csv) file. The data elements should be transmitted in the order specified in the [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#).

Transmission: Electronic files must be transmitted to [Public Health England](#) through a secure web portal on the [Public Health England](#) website. This web portal enables [Organisations](#) to submit data files in a secure manner to the HIV and STI Department of [Public Health England](#). The web portal can be found at [HIV & STI web portal](#).

Connection to the web portal requires a login account name and password at [Public Health England](#). Please contact gumcad@phe.org.uk for access or more information.

Further guidance on the [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#) can be found on the [Public Health England](#) part of the gov.uk website at: [STI Surveillance, data, screening and management](#).

ACTIVITY DATE

Change to Attribute: Changed Dataset

The date, month, year and century, or any combination of these elements, that is of relevance to an [ACTIVITY](#).

The specific nature of the [ACTIVITY DATE](#) will be identified by the [ACTIVITY DATE TYPE](#).

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset, Description

An indication of whether Alcohol use was assessed as problematic by the [CARE PROFESSIONAL](#) for a [PERSON](#) attending a [Sexual Health Service](#).

National Codes:

- ~~Y~~ ~~Yes - Alcohol use was assessed as problematic~~
 - ~~N~~ ~~No - Alcohol use not was assessed as problematic~~
 - Y Yes - alcohol use was assessed as problematic
 - N No - alcohol use was not assessed as problematic
 - U Unknown ([PERSON](#) asked but does not know)
 - Z Not Stated ([PERSON](#) asked but declined to give a response)
-

ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset, Description

An indication of whether Alcohol use was assessed by the [CARE PROFESSIONAL](#) for a [PERSON](#) attending a [Sexual Health Service](#).

National Codes:

- ~~Y~~ ~~Yes - Alcohol use was assessed by the [CARE PROFESSIONAL](#)~~
- ~~N~~ ~~No - Alcohol use was not assessed by the [CARE PROFESSIONAL](#)~~
- Y Yes - alcohol use was assessed by the [CARE PROFESSIONAL](#)
- N No - alcohol use was not assessed by the [CARE PROFESSIONAL](#)
- U Unknown ([PERSON](#) asked but does not know)

Z Not Stated ([PERSON](#) asked but declined to provide a response)

CLINICAL CLASSIFICATION CODE

Change to Attribute: Changed Dataset

A unique clinical classification identifier for a [CODED CLINICAL ENTRY](#).

This could be [OPCS Classification of Interventions and Procedures \(OPCS-4\)](#) codes or [International Classification of Diseases \(ICD\)](#) codes.

See [Clinical Coding](#) for further information about the types of [CODED CLINICAL ENTRIES](#).

CLINICAL TERMINOLOGY CODE

Change to Attribute: Changed Dataset

A unique clinical terminology identifier for a [CODED CLINICAL ENTRY](#).

This could be [Read Coded Clinical Terms, SNOMED CT](#) concepts or defined in the [National Interim Clinical Imaging Procedure Code Set](#).

See [Clinical Coding](#) for further information about the types of [CODED CLINICAL ENTRIES](#).

Note: [SNOMED CT](#) is the Information Standard for clinical terminology for use within the NHS; it is planned that in time this will be the only terminology used by the NHS.

CLINIC TYPE FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset

The type of [CLINIC OR FACILITY](#) providing a [Sexual and Reproductive Health Service](#).

National Codes:

- 01 Specialist Clinic - [Level 3 Genitourinary Medicine Service](#)
- 02 [Sexual and Reproductive Health Clinic - Level 2 Sexual Health Service](#)
- 03 Online Clinic - [Level 2 Sexual Health Service](#)
- 04 [General Medical Practitioner Practice](#) Clinic - [Level 2 Sexual Health Service](#)
- 05 [Prison](#) Clinic - [Level 2 Sexual Health Service](#)
- 10 Other Clinic (not listed) - [Level 2 Sexual Health Service](#)

CONDOMLESS SEX INDICATOR

Change to Attribute: Changed Dataset

An indication of whether the [PERSON](#) attending a [Sexual Health Service](#) stated they had condomless sex with a partner.

National Codes:

- Y Yes - [PERSON](#) had condomless sex
 - N No - [PERSON](#) did not have condomless sex
 - U Unknown ([PERSON](#) asked but does not know)
 - Z No Stated ([PERSON](#) asked but declined to give a response)
-

CONSULTATION MEDIUM USED

Change to Attribute: Changed Dataset

[CONSULTATION MEDIUM USED](#) identifies the communication mechanism used to relay information between the [CARE PROFESSIONAL](#) and the [PERSON](#) who is the subject of the consultation, during a [CARE ACTIVITY](#).

The telephone or telemedicine consultation should directly support diagnosis and care planning and must replace a face to face [Out-Patient Attendance Consultant](#), [Clinic Attendance Nurse](#) or [Clinic Attendance Midwife](#), types of [CARE ACTIVITY](#). A record of the telephone or telemedicine consultation must be retained in the [PATIENT](#)'s records.

Telephone contacts solely for informing [PATIENTS](#) of results are excluded.

National Codes:

- 01 Face to face communication
- 02 Telephone
- 03 Telemedicine web camera
- 04 Talk type for a [PERSON](#) unable to speak
- 05 Email **
- 06 Short Message Service (SMS) - Text Messaging ***
- 07 On-line Triage****
- 98 Other (not listed) *

Notes:

- * National Code 98 'Other' is **only** used for the [Community Services Data Set](#), [Maternity Services Data Set](#), [Mental Health Services Data Set](#) and [Sexual and Reproductive Health Activity Data Set](#). It is **NOT** valid in any other data set including Commissioning Data Set version 6-2.
- ** National Codes 05 'Email' is **NOT** valid for Commissioning Data Set version 6-2.
- *** National Code 06 'Short Message Service (SMS) - Text Messaging' is **NOT** valid for Commissioning Data Set version 6-2 and the [HIV and AIDS Reporting Data Set](#).
- **** National Code 07 'On-line Triage' is **only** used for the [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#). It is **NOT** valid in any other data set including Commissioning Data Set version 6-2.

CONSULTATION TYPE

Change to Attribute: Changed Dataset

The type of consultation between the [CARE PROFESSIONAL](#) and the [PATIENT](#).

National Codes:

- 01 Initial Consultation
- 02 Follow-up Consultation

COUNTRY CODE

Change to Attribute: Changed Dataset

A unique code representing a [COUNTRY](#).

References:

- International Organisation for Standardisation website for the ISO 3166-1 standard <https://www.iso.org/home.html>

Note:

This was [e-GIF](#) approved for use in NHS England.

[e-GIF](#) and the [Government Data Standards Catalogue](#) have been archived and are available for reference only.

ETHNIC CATEGORY CODE

Change to Attribute: Changed Dataset

The ethnicity of a [PERSON](#), as specified by the [PERSON](#).

Note: [ETHNIC CATEGORY](#) is the classification used for the 2001 census.

The [Office for National Statistics](#) has developed a further breakdown of the group from that given, which may be used locally.

National Codes:

White

- A British
- B Irish
- C Any other White background

Mixed

- D White and Black Caribbean
- E White and Black African
- F White and Asian
- G Any other mixed background

Asian or Asian British

- H Indian
- J Pakistani
- K Bangladeshi
- L Any other Asian background

Black or Black British

- M Caribbean
- N African
- P Any other Black background

Other Ethnic Groups

- R Chinese
- S Any other ethnic group

- Z Not stated

National code Z - Not Stated should be used where the [PERSON](#) has been given the opportunity to state their [ETHNIC CATEGORY](#) but chose not to.

GENDER IDENTITY CODE FOR SEXUAL HEALTH

Change to Attribute: Changed Dataset

The gender identity of a [PERSON](#) as stated by the [PERSON](#) at a [HIV Clinic Attendance](#) or [Genitourinary Consultant Clinic Attendance](#).

National Codes:

- 1 Male (including trans man)
- 2 Female (including trans woman)
- 3 Non-binary
- 4 Other (not listed)
- Z Not Stated ([PERSON](#) asked but declined to provide a response)

GENDER IDENTITY SAME AT BIRTH INDICATOR

Change to Attribute: Changed Dataset

An indication of whether the [PERSON](#)'s gender identity is the same as their gender assigned at birth.

National Codes:

- Y Yes - the [PERSON](#)'s gender identity is the same as their gender assigned at birth
- N No - the [PERSON](#)'s gender identity is not the same as their gender assigned at birth
- Z Not Stated ([PERSON](#) asked but declined to provide a response)

GEOGRAPHIC AREA CODE

Change to Attribute: Changed Dataset

The code for a [GEOGRAPHIC AREA](#).

HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS

Change to Attribute: Changed Dataset

An indication of whether penetrative sex male same sex partners in the last three months were HIV positive, reported by the [PERSON](#) attending a [Sexual Health Service](#).

National Codes:

- Y Yes - penetrative sex male same sex partners in the last three months were HIV positive

- N No - penetrative sex male same sex partners in the last three months were not HIV positive
- U Unknown - ([PERSON](#) asked but does not know)
- Z Not Stated - ([PERSON](#) asked but declined to provide a response)

LOCAL PATIENT IDENTIFIER

Change to Attribute: Changed Dataset

A number used to identify a [PATIENT](#) uniquely within a [Health Care Provider](#). It may be different from the [PATIENT](#)'s casenote number and may be assigned automatically by the computer system.

Where care for NHS patients is sub-commissioned in the independent sector or overseas, the NHS commissioner PAS Number should be used. If no NHS PAS Number has been assigned the independent sector or overseas PAS Number should be used.

NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: Changed Dataset, Description

An indication of whether the [PERSON](#) attending a [Sexual Health Service](#) has reported having new sex partners in the last three months.

National Codes:

- ~~Y~~ ~~Yes - The [PERSON](#) reported having new sex partners in the last three months~~
- ~~N~~ ~~No - The [PERSON](#) reported not having new sex partners in the last three months~~
- Y Yes - the [PERSON](#) reported having new sex partners in the last three months
- N No - the [PERSON](#) reported not having new sex partners in the last three months
- U Unknown ([PERSON](#) asked and does not know)
- Z Not Stated ([PERSON](#) asked but declined to provide a response)

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE

Change to Attribute: Changed Dataset, Description

~~The code to identify the number of sex partners in the last months as stated by the [PERSON](#) at an attending a [Sexual Health Service](#).~~ The code to identify the number of sex partners in the last three months as stated by the [PERSON](#) attending a [Sexual Health Service](#).

National Codes:

- 01 0
- 02 1
- 03 2-4
- 04 5 and over
- UU Unknown ([PERSON](#) asked but does not know)
- ZZ Not Stated ([PERSON](#) asked but declined to provide a response)

ORGANISATION IDENTIFIER

Change to Attribute: Changed Dataset

A unique identifier for an [ORGANISATION](#).

Note:

- [ORGANISATION IDENTIFIERS](#) are governed by the fundamental standard for "Health and Social Care Organisation Reference Data" (HSC Org Ref Data).
- The standard only relates to [ORGANISATION IDENTIFIERS](#) which are maintained and published by the [Organisation Data Service \(ODS\)](#). See [Health and Social Care Organisation Reference Data](#).

The Format/Length of a published code for an:

- [Organisation](#) is min an3 max an8
- [Organisation Site](#) is min an5 max an9.

[ORGANISATION CODE](#) will be replaced with [ORGANISATION IDENTIFIER](#), which is the most recent approved national information standard to describe the required definition.

PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset, Description

An indication of whether the consultation for a [Sexual Health Service](#) is as a result of a partner notification.

National Codes:

- ~~Y Yes The consultation is as a result of a partner notification~~
- ~~N No The consultation is not as a result of a partner notification~~

- Y Yes - the consultation is as a result of a partner notification
- N No - the consultation is not as a result of a partner notification

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset, Description

An indication of whether a [PATIENT](#) attending for a [Sexual Health Service](#) has symptoms of a Sexually Transmitted Infection. An indication of whether the [PATIENT](#) attending for a [Sexual Health Service](#) has symptoms of a Sexually Transmitted Infection.

National Codes:

- ~~Y~~ ~~Yes - [PATIENT](#) did have symptoms~~
- ~~N~~ ~~No - [PATIENT](#) did not have symptoms~~
- Y Yes - the [PATIENT](#) did have symptoms of a Sexually Transmitted Infection
- N No - the [PATIENT](#) did not have symptoms of a Sexually Transmitted Infection

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset

The type of [PATIENT DIAGNOSIS](#) confirmed at a [Sexual Health Service](#).

National Codes:

- 01 [PATIENT DIAGNOSIS](#) - confirmed at this [Sexual Health Service](#)
- 02 [PATIENT DIAGNOSIS](#) - confirmed at another [Sexual Health Service](#)
- 03 [PATIENT DIAGNOSIS](#) - initial reactive diagnosis

PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset

The site of infection for the [PATIENT DIAGNOSIS](#) at a [Sexual Health Service](#).

National Codes:

- 01 Genital
- 02 Rectal
- 03 Pharyngeal
- 04 Occular
- 96 Other (not listed)

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE

Change to Attribute: Changed Dataset, Description

An indication of whether a treatment has been provided for the [PATIENT DIAGNOSIS](#) at a [Sexual Health Service](#) and the reason why it has not been provided.

National Codes:

- ~~01 Yes - Treatment provided~~
- ~~02 No - Treatment not required~~
- ~~03 No - Referred elsewhere for treatment~~
- 01 Yes - treatment provided
- 02 No - treatment not required
- 03 No - referred elsewhere for treatment
- 04 No - [PATIENT](#) refused treatment
- 05 No - [PATIENT](#) walked out

PERSON COUNT

Change to Attribute: Changed Dataset

The number or count relating to a [PERSON](#).

PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION

Change to Attribute: Changed Dataset

The risk factor of a [PERSON](#) for a Sexually Transmitted Infection identified at a [Sexual Health Service](#).

National Codes:

- 1 Prisoner
- 2 Sex Worker

PERSON STATED SEXUAL ORIENTATION CODE

Change to Attribute: Changed Dataset

The [PERSON STATED SEXUAL ORIENTATION](#) of a [PERSON](#).

[PERSON STATED SEXUAL ORIENTATION CODE](#) is aligned with descriptors for "Sexual orientation findings" in [SNOMED CT](#)® as follows:

[SNOMED CT Refset](#) Metadata:

- [Refset](#) FSN: Sexual orientation findings simple reference set (foundation metadata concept)
- [Refset](#) Id: 999003081000000103

For further details relating to the [SNOMED CT Refset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Sexual orientation findings](#).

National Codes:

- 1 Heterosexual or Straight
- 2 Gay or Lesbian
- 3 Bisexual
- 4 Other sexual orientation not listed
- U [PERSON](#) asked and does not know or is not sure
- Z Not Stated ([PERSON](#) asked but declined to provide a response)

[SEXUAL ORIENTATION CODE](#) will be replaced with [PERSON STATED SEXUAL ORIENTATION CODE](#), which is the most recent approved national information standard to describe the required definition.

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Change to Attribute: Changed Dataset, Description

~~The Pre Exposure Prophylaxis [Drug Regimen](#) assigned to a [PATIENT](#) attending a [Sexual Health Service](#).~~ The Pre Exposure Prophylaxis (PrEP) [Drug Regimen](#) assigned to a [PATIENT](#) attending a [Sexual Health Service](#).

National Codes:

- 01 Daily (or nearly daily)
- 02 Event based (coital)
- UU Unknown ([PATIENT](#) asked but does not know)
- ZZ Not Stated ([PATIENT](#) asked but declined to provide a response)

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

Change to Attribute: Changed Dataset

The reason why the [PATIENT](#) is eligible for Pre Exposure Prophylaxis (PrEP) as determined by the [CARE PROFESSIONAL](#) at an attendance for a [Sexual Health Service](#).

National Codes:

- 01 MSM (Men who have sex with Men) or Transgender Woman
- 02 HIV Positive Partner
- 96 Other (high risk)

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

Change to Attribute: Changed Dataset, Description

~~The status of an offer of Pre Exposure Prophylaxis to a [PATIENT](#) attending a [Sexual Health Service](#).~~ The status of an offer of Pre Exposure Prophylaxis (PrEP) to a [PATIENT](#) attending a [Sexual Health Service](#).

National Codes:

- 01 Offer accepted
- 02 Offer declined - [PATIENT](#) choice
- 03 Offer declined - obtained at another source

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

Change to Attribute: Changed Dataset, Description

~~The reason Pre Exposure Prophylaxis was stopped for a [PATIENT](#) attending a [Sexual Health Service](#).~~ The reason Pre Exposure Prophylaxis (PrEP) was stopped for a [PATIENT](#) attending a [Sexual Health Service](#).

National Codes:

- 01 Adverse Effect
- 02 HIV Acquisition
- 03 [PATIENT](#) Choice
- 04 No Longer Eligible
- 96 Other (not listed)
- UU Unknown ([PATIENT](#) asked but does not know)
- ZZ Not Stated ([PATIENT](#) asked but declined to provide a response)

PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS

Change to Attribute: Changed Dataset, Description

The amount of Pre Exposure Prophylaxis tablets prescribed to a [PATIENT](#) attending a [Sexual Health Service](#). The amount of Pre Exposure Prophylaxis (PrEP) tablets prescribed to a [PATIENT](#) attending a [Sexual Health Service](#).

National Codes:

- 01 30 Tablets
- 02 60 Tablets
- 03 90 Tablets
- ~~96 Other (not listed)~~
- 96 Other (not listed)
- UU Unknown ([PATIENT](#) asked but does not know)
- ZZ Not Stated ([PATIENT](#) asked but declined to give a response)

SERVICE TYPE FOR SEXUAL HEALTH

Change to Attribute: Changed Dataset

The type of [SERVICE](#) provided at a [Sexual Health Service](#).

National Codes:

- 01 Integrated [Sexually Transmitted Infection Service](#) and [Sexual and Reproductive Health Service](#)
- 02 [Sexually Transmitted Infection Service](#)
- 03 [Sexual and Reproductive Health Service](#)
- 04 [HIV Service](#)
- 96 Other (not listed)

SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE

Change to Attribute: Changed Dataset, Description

The medical condition or reason for a [Sexual Health and HIV Episode](#).

National Codes:

Diagnosis and/or treatment of infection or disease	
Code	Description
A1	Primary syphilis

A2	Secondary syphilis
A3	Early latent syphilis
A4	Cardiovascular syphilis
A5	Neurosyphilis
A6	All other late and latent syphilis
A7A	Congenital syphilis
A10	Ocular syphilis
A11	Otosyphilis
B	Gonorrhoea
C1	Chancroid
C2	Lymphogranuloma venereum (LGV)
C3	Donovanosis
C4	Chlamydial infection
C4N	Non-specific genital infection (NSGI)
C5A	Pelvic inflammatory disease (PID) and epididymitis
C5B	Ophthalmia neonatorum
C6A	Trichomoniasis
C6B	Anaerobic/Bacterial vaginosis and anaerobic balanitis
C6C	Other vaginosis/vaginitis/balanitis
C7A	Anogenital candidosis
C8	Scabies
C9	Pediculosis pubis
C10A	Anogenital Herpes simplex: First episode
C10B	Anogenital Herpes simplex: Recurrent episode
C11A	Anogenital warts infection: First episode
C11D	Anogenital warts infection: Recurrent episode
C12	Molluscum contagiosum
C13	Viral hepatitis B (HbsAg positive): First diagnosis
C14	Viral hepatitis C: First diagnosis
C15	Viral hepatitis A: Acute infection
C16	Mycoplasma genitalium
D2A	Urinary Tract Infection
D2B	Other conditions requiring treatment at Level 3 Genitourinary Medicine Services
H	HIV positive - Previously Diagnosed
H1	New HIV diagnosis
H1A	New HIV diagnosis: Acute
H1B	New HIV diagnosis: Late infection (AIDS defined)
H2	Attendance for HIV-related care
P4A	Cervical cytology: minor abnormality
P4B	Cervical cytology: major abnormality

	Sexual Health Services Provided To record PATIENTS receiving Sexual Health Services or undergoing tests.
T1	Chlamydia test
T2	Chlamydia and gonorrhoea tests
T3	Chlamydia, gonorrhoea and syphilis tests
T4	Chlamydia, gonorrhoea, syphilis and HIV antibody tests
T5	Herpes Simplex Virus (HSV) Test
T6	Hepatitis A/B/C Test
TS	Microscopy
TT	3 Site Testing (chlamydia and gonorrhoea)
T7	Syphilis and HIV Testing
T8	Self sampling (urinalysis/swabs) without Health Care worker (HCW) consultation
T9	STI testing not required/appropriate
T10	Rapid testing (STI and/or HIV)
T11	Chlamydia test declined
T12	Mycoplasma genitalium test
O20	Hepatitis A vaccination: 1st dose
O21	Hepatitis A vaccination: Subsequent dose
O22	Hepatitis A immune
O23	Partner notification related attendance: Hepatitis A contact
O31	PrEP eligibility criteria 1: MSM/transgender woman
O32	PrEP eligibility criteria 2: HIV positive partner
O33	PrEP eligibility criteria 3: Other high risk
O41	PrEP regimen: Starting or continuing daily Prep
O42	PrEP regimen: Starting or continuing event based Prep
O43	PrEP regimen: Continued through other source
O44	PrEP regimen: Offered and declined
O45	PrEP regimen: Stopped
O51	PrEP prescription: 30 tablets
O52	PrEP prescription: 60 tablets
O53	PrEP prescription: 90 tablets
O60	PrEP patient characteristic: Transgender
P1A	Human Immunodeficiency Virus (HIV) antibody test (no sexual health screen)
P1B	Human Immunodeficiency Virus (HIV) antibody test offered and refused
P1C	HIV test inappropriate
P2A	Hepatitis B vaccination: 1st dose
P2B	Hepatitis B vaccination: 2nd dose
P2C	Hepatitis B vaccination: 3rd dose
P2D	Hepatitis B vaccination: 4th dose
P2E	Hepatitis B vaccination: Booster

P2I	Hepatitis B immune
P3	CONTRACEPTION and family planning advice (excluding condom provision)
P4	Cervical cytology done
REF1	Referral from Chlamydia Screening Programme
REF2	Referral to a Level 3 Genitourinary Medicine Service
REF3	Referral from home testing/sampling service
SG1	Shigella flexneri (group B)
SG2	Shigella sonnei (group D)
SG3	Shigella other/unspecified
SRH	Sexual and Reproductive Health PATIENT
W1	HPV vaccination: 1st dose
W2	HPV vaccination: 2nd dose
W3	HPV vaccination: 3rd dose
W4	HPV vaccination: offered and declined
W5	HPV vaccination: previously received in full
PN	Partner notification initiated related attendance
PNC	Partner notification related attendance: Chlamydia contact
PNG	Partner notification related attendance: Gonorrhoea contact
PNH	Partner notification related attendance: HIV contact
PNN	Partner notification related attendance: Non-specific genital infection contact
PNP	Partner notification related attendance: PID/Epididymitis contact
PNS	Partner notification related attendance: Syphilis contact
PNT	Partner notification related attendance: Trichomoniasis contact
PR1	Pregnant 1-12 weeks
PR2	Pregnant 13-28 weeks
PR3	Pregnant 29-40 weeks
PEPS	Post exposure prophylaxis after sexual exposure (PEPSE)
D3	Other Sexual Health and HIV Episodes not requiring treatment
O11- O99	Research/New/Urgent reporting (Retired 01 October 2018)
40	Sexual Assault (Acute presentation)
41	Sexual Assault (Non - acute presentation)
	Findings
CSE1	Child sexual exploitation : concerns raised at internal assessment
CSE2	Child sexual exploitation : concerns raised with internal safeguarding professionals
CSE3	Child sexual exploitation : referred to external safeguarding professionals
DV	Concern of domestic violence (or abuse)
FGM	Female genital mutilation (of any type)
	Special PATIENT Groups To record additional information on certain PATIENT groups receiving

	Sexual Health Services or undergoing tests. Codes to be reported separately at each FIRST ATTENDANCE .
Z	Prisoner
SW	Sex Worker
	<p>Suffixes to Codes</p> <p>To record additional information about the PATIENT's presentation or a Sexual Health Service given. This information may be collected through the use of suffixes which can be applied to the SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE. Where appropriate, multiple suffixes can be used on the same SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE. The suffixes and the codes with which they can be used are given below. These codes are appended to the SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE.</p>
R	Rectal infection
O	Pharyngeal infection
X	Previously diagnosed elsewhere
M	Medication given
Q	Quadrivalent HPV vaccine
	Permissible Code Permutations Using Suffixes
	A - Syphilis
A1X	Primary syphilis - previously diagnosed elsewhere
A2X	Secondary syphilis - previously diagnosed elsewhere
A3X	Early latent syphilis - previously diagnosed elsewhere
A4X	Cardiovascular syphilis - previously diagnosed elsewhere
A4X	Cardiovascular syphilis - previously diagnosed elsewhere
A5X	Neurosyphilis syphilis - previously diagnosed elsewhere
A6X	All other late and latent syphilis - previously diagnosed elsewhere
A7AX	Congenital syphilis - previously diagnosed elsewhere
	B - Gonorrhoea
BR	Gonorrhoea - rectal infection
BO	Gonorrhoea - pharayngeal infection
BX	Gonorrhoea - previously diagnosed elsewhere
BM	Gonorrhoea - medication given
BRX	Gonorrhoea - rectal infection, previously diagnosed elsewhere
BRM	Gonorrhoea - rectal infection, medication given
BOX	Gonorrhoea - pharayngeal infection, previously diagnosed elsewhere
BOM	Gonorrhoea - Pharayngeal infection, medication given
BOM	Gonorrhoea - pharayngeal infection, medication given
	C4 - Chlamydia
C4R	Chlamydia - rectal infection
C4O	Chlamydia - pharayngeal infection
C4X	Chlamydia - previously diagnosed elsewhere

C4M	Chlamydia - medication given
C4RX	Chlamydia - rectal infection, previously diagnosed elsewhere
C4RM	Chlamydia - rectal infection, medication given
C4OX	Chlamydia - rectal infection, previously diagnosed elsewhere
C4OM	Chlamydia - pharyngeal infection, medication given
	C2 - Lymphogranuloma (LGV)
C2R	LGV - Rectal infection
C2O	LGV - Pharyngeal infection
	C4N - NSGI
C4NR	NSGI - rectal infection (proctitis)
	C6A - Trichomoniasis
C6AX	Trichomoniasis - previously diagnosed elsewhere
	H1 - New HIV diagnosis
H1X	New HIV diagnosis - previously diagnosed elsewhere
	H1A - New HIV diagnosis: acute
H1AX	New HIV diagnosis: acute - previously diagnosed elsewhere
	H1B - HIV diagnosis: late (AIDS defined)
H1BX	New HIV diagnosis: late (AIDS defined) - previously diagnosed elsewhere
	C10A - Anogenital Herpes simplex: first episode
C10AM	Anogenital Herpes simplex: first episode - medication given
	C10B - Anogenital Herpes simplex: recurrent episode
C10BM	Anogenital Herpes simplex: recurrent episode - medication given
	C11A - Anogenital warts infection: first episode
C11AM	Anogenital warts infection: first episode - medication given
	C11D - Anogenital warts infection: recurrent episode
C11DM	Anogenital warts infection: recurrent episode - medication given
	W1 - HPV Vaccination: 1st dose
W1Q	HPV Vaccination: 1st dose - quadrivalent vaccine
	W2 - HPV Vaccination: 2nd dose
W2Q	HPV Vaccination: 2nd dose - quadrivalent vaccine
	W3 - HPV Vaccination: 3rd dose
W3Q	HPV Vaccination: 3rd dose - quadrivalent vaccine

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

Change to Attribute: Changed Dataset, Description

An indication of whether the [PERSON](#) had sexual intercourse whilst under the influence of a [SUBSTANCE](#).

National Codes:

- ~~Y~~ ~~Yes – The PERSON had sexual intercourse whilst under the influence of a SUBSTANCE~~
- ~~N~~ ~~No – The PERSON did not have sexual intercourse whilst under the influence of a SUBSTANCE~~
- Y Yes - the PERSON had sexual intercourse whilst under the influence of a SUBSTANCE
- N No - the PERSON did not have sexual intercourse whilst under the influence of a SUBSTANCE
- U Unknown (PERSON asked but does not know)
- Z Not Stated (PERSON asked but declined to provide a response)

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: Changed Dataset, Description

An indication of whether the PERSON injected a SUBSTANCE in the last three months.

National Codes:

- ~~Y~~ ~~Yes – The PERSON injected a SUBSTANCE in the last three months~~
- ~~N~~ ~~No – The PERSON did not inject a SUBSTANCE in the last three months~~
- Y Yes - the PERSON injected a SUBSTANCE in the last three months
- N No - the PERSON did not inject a SUBSTANCE in the last three months
- U Unknown (PERSON asked but does not know)
- Z Not Stated (PERSON asked but declined to provide a response)

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: Changed Dataset, Description

An indication of whether the PERSON has shared SUBSTANCE injected equipment in the last three months.

National Codes:

- ~~Y~~ ~~Yes – The PERSON has shared injected equipment in the last three months~~
- ~~N~~ ~~No – The PERSON has not shared injected equipment in the last three months~~
- Y Yes - the PERSON has shared injected equipment in the last three months
- N No - the PERSON has not shared injected equipment in the last three months
- U Unknown (PERSON asked but does not know)

Z Not Stated ([PERSON](#) asked but declined to provide a response)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

Change to Attribute: Changed Dataset, Description

An indication of whether a [PERSON](#) has used a [SUBSTANCE](#) in the last three months.

National Codes:

- ~~Y~~ ~~Yes - The [PERSON](#) has used a [SUBSTANCE](#) in the last three months~~
- ~~N~~ ~~No - The [PERSON](#) has not used a [SUBSTANCE](#) in the last three months~~
- Y Yes - the [PERSON](#) has used a [SUBSTANCE](#) in the last three months
- N No - the [PERSON](#) has not used a [SUBSTANCE](#) in the last three months
- U Unknown ([PERSON](#) asked but does not know)
- ~~N~~ ~~Not Known ([PERSON](#) asked but declined to provide a response)~~
- Z Not Stated ([PERSON](#) asked but declined to provide a response)

AGE AT ATTENDANCE DATE

Change to Data Element: Changed Dataset

Format/Length:	n3
National Codes:	
Default Codes:	999 - Not known i.e. date of birth not known and age cannot be estimated.

Notes:

[AGE AT ATTENDANCE DATE](#) is derived as the number of completed years between the [PERSON BIRTH DATE](#) of the [PATIENT](#) and the [ATTENDANCE DATE](#) or the estimated age of the [PATIENT](#).

ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [ALCOHOL USE ASSESSED AS PROBLEMATIC INDICATOR FOR SEXUAL HEALTH SERVICE](#).

ALCOHOL USE ASSESSED INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[ALCOHOL USE ASSESSED INDICATOR \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [ALCOHOL USE ASSESSED INDICATOR FOR SEXUAL HEALTH SERVICE](#).

ATTENDANCE DATE

Change to Data Element: Changed Dataset

Format/Length:	an10 CCYY-MM-DD
National Codes:	
Default Codes:	

Notes:

[ATTENDANCE DATE](#) is the same as attribute [ACTIVITY DATE](#) where the [ACTIVITY DATE TYPE](#) is National Code '[Care Contact Date](#)'.

[ATTENDANCE DATE](#) is the date of an attendance or contact, for example at a [Consultant Clinic](#), [Nurse Clinic](#), [Accident and Emergency Department](#) or by a [Ward Attender](#).

CLINIC TYPE (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See CLINIC TYPE FOR SEXUAL HEALTH SERVICE
Default Codes:	

Notes:

[CLINIC TYPE \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [CLINIC TYPE FOR SEXUAL HEALTH SERVICE](#).

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See CONDOMLESS SEX INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[CONDOMLESS SEX INDICATOR \(PENETRATIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS\)](#) is the same as attribute [CONDOMLESS SEX INDICATOR](#), for penetrative sex with male same sex partners in the last three months.

CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX) renamed from **CONDOMLESS SEX INDICATOR (PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX)**

Change to Data Element: Changed Dataset, Name

Format/Length:	max an2
National Codes:	See CONDOMLESS SEX INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

~~[CONDOMLESS SEX INDICATOR \(PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX\)](#)~~ is the same as attribute ~~[CONDOMLESS SEX INDICATOR](#)~~. [CONDOMLESS SEX INDICATOR \(PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX\)](#) is the same as attribute [CONDOMLESS SEX INDICATOR](#).

~~[CONDOMLESS SEX INDICATOR \(PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX\)](#)~~ is an indication of whether the [PERSON](#) had condomless sex the last time they had penetrative sex with an opposite sex partner. [CONDOMLESS SEX INDICATOR \(PENETRATIVE SEX OPPOSITE SEX PARTNERS FOR THE LAST TIME PERSON HAD SEX\)](#) is an indication of whether the [PERSON](#) had condomless sex the last time they had penetrative sex with an opposite sex partner.

CONDOMLESS SEX INDICATOR (RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See CONDOMLESS SEX INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[CONDOMLESS SEX INDICATOR \(RECEPTIVE SEX MALE SAME SEX PARTNERS IN THE LAST THREE MONTHS\)](#) is the same as attribute [CONDOMLESS SEX INDICATOR](#), for receptive sex with male same sex partners in the last three months.

CONSULTATION MEDIUM USED (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	
Default Codes:	

Notes:

[CONSULTATION MEDIUM USED \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [CONSULTATION MEDIUM USED](#) for a [Sexual Health Service](#).

Permitted National Codes:

- 01 Face to face communication
- 02 Telephone
- 07 On-line Triage

CONSULTATION TYPE

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See CONSULTATION TYPE
Default Codes:	

Notes:

[CONSULTATION TYPE](#) is the same as attribute [CONSULTATION TYPE](#).

COUNTRY CODE (BIRTH)

Change to Data Element: Changed Dataset, Description

Format/Length:	a3
National Codes:	
Default Codes:	XXX - Unknown * ZZZ - Not stated (PERSON asked but declined to provide a response)*
Default Codes:	XXX - Unknown * ZZZ - Not stated (PERSON asked but declined to provide a response)**

Notes:

[COUNTRY CODE \(BIRTH\)](#) is the same as attribute [COUNTRY CODE](#).

[COUNTRY CODE \(BIRTH\)](#) is the country where the [PERSON](#) was born.

Refer to the ISO 3166-1 standard for actual list of alphabetic codes and countries. The alphabetic code to be used is the 3-char alphabetic code available on the International

Organisation for Standardisation website <https://www.iso.org/home.html>. The 2-char alphabetic code **must not be used**.

* ~~Note – Default Codes XXX and ZZZ are only valid for use in the [Female Genital Mutilation Data Set](#).~~Notes:

•
* Default Code XXX is only valid for use in the [Female Genital Mutilation Data Set](#).

•
** Default Code ZZZ is only valid for use in the [GUMCAD Sexually Transmitted Infection Surveillance System Data Set](#) and [Female Genital Mutilation Data Set](#).

DIAGNOSTIC OR PROCEDURE CODING (SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES)

Change to Data Element: Changed Dataset

Format/Length:	See READ CODE
National Codes:	
Default Codes:	

Notes:

[DIAGNOSTIC OR PROCEDURE CODING \(SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[DIAGNOSTIC OR PROCEDURE CODING \(SEXUAL HEALTH AND HUMAN IMMUNODEFICIENCY VIRUS RELEVANT READ CODES\)](#) is the [Read Coded Clinical Terms](#) code relevant to conditions associated with Sexual Health and Human Immunodeficiency Virus.

The list of available sexual health [Read Coded Clinical Terms](#) are available at gumcad@hpa.org.uk.

ETHNIC CATEGORY

Change to Data Element: Changed Dataset

Format/Length:	an2
NWDS ID:	PETH
NWDS Field Name:	Ethnic Category
ESR Field Name:	Ethnic Origin
National Codes:	See ETHNIC CATEGORY CODE
Default Codes:	99 - Not known*

Notes:

[ETHNIC CATEGORY](#) is the same as attribute [ETHNIC CATEGORY CODE](#).

The 16+1 ethnic data categories defined in the 2001 census is the national mandatory standard for the collection and analysis of ethnicity.

The national code must be transmitted as the first character in the 2 character field. The second character is optional for use locally. It must, however, be able to be grouped consistently with the 16 main categories.

National code Z should be used where the [PERSON](#) has been given the opportunity to state their [ETHNIC CATEGORY](#) but chose not to. Default code 99 should be used where the [PERSON](#)'s [ETHNIC CATEGORY](#) is not known.

*For the [Stop Smoking Services Quarterly Data Set](#) default code 99 'Not Known' is **NOT** valid.

GENDER IDENTITY CODE (SEXUAL HEALTH)

Change to Data Element: Changed Dataset

Format/Length:	an1
National Codes:	See GENDER IDENTITY CODE FOR SEXUAL HEALTH
Default Codes:	X - Not Known (not recorded)

Notes:

[GENDER IDENTITY CODE \(SEXUAL HEALTH\)](#) is the same as attribute [GENDER IDENTITY CODE FOR SEXUAL HEALTH](#).

GENDER IDENTITY SAME AT BIRTH INDICATOR

Change to Data Element: Changed Dataset

Format/Length:	an1
National Codes:	See GENDER IDENTITY SAME AT BIRTH INDICATOR
Default Codes:	X - Not known (not asked)

Notes:

[GENDER IDENTITY SAME AT BIRTH INDICATOR](#) is the same as attribute [GENDER IDENTITY SAME AT BIRTH INDICATOR](#).

HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR (PENETRATIVE SEX MALE SAME SEX PARTNERS)

Change to Data Element: Changed Dataset, Description

Format/Length:	max an2
National Codes:	

See [HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS](#)

NA - Not Applicable ([PERSON](#) not asked)

Default Codes:

NA - Not Applicable ([PERSON](#) not asked)

Notes:

[HIV POSITIVE PARTNERS IN LAST THREE MONTHS INDICATOR \(PENETRATIVE SEX MALE SAME SEX PARTNERS\)](#) is the same as attribute [HIV POSITIVE PARTNERS IN THE LAST THREE MONTHS INDICATOR FOR PENETRATIVE SEX MALE SAME SEX PARTNERS](#).

INITIAL PARTNER NOTIFICATION DISCUSSION DATE

Change to Data Element: Changed Dataset, Description

Format/Length: an10 CCYY-MM-DD

National Codes:

Default Codes:

Notes:

~~[INITIAL PARTNER NOTIFICATION DISCUSSION DATE](#) is the same as attribute [ACTIVITY DATE](#) where the [ACTIVITY DATE TYPE](#) is National Code '[Care Contact Date](#)'.~~ [INITIAL PARTNER NOTIFICATION DISCUSSION DATE](#) is the same as attribute [ACTIVITY DATE](#) where the [ACTIVITY DATE TYPE](#) is National Code '[Care Contact Date](#)'.

[INITIAL PARTNER NOTIFICATION DISCUSSION DATE](#) is the date of the [Initial Partner Notification Discussion](#) at a [Sexual Health Service](#).

LOCAL PATIENT IDENTIFIER (EXTENDED)

Change to Data Element: Changed Dataset

Format/Length: max an20

National Codes:

Default Codes:

Notes:

[LOCAL PATIENT IDENTIFIER \(EXTENDED\)](#) is the same as attribute [LOCAL PATIENT IDENTIFIER](#).

[LOCAL PATIENT IDENTIFIER \(EXTENDED\)](#) is used where IT systems have a [LOCAL PATIENT IDENTIFIER](#) which is longer than 10 characters and [LOCAL PATIENT IDENTIFIER](#) cannot be used for data submission.

For the [Cancer Outcomes and Services Data Set](#), [LOCAL PATIENT IDENTIFIER \(EXTENDED\)](#) can be recorded as well as or instead of [NHS NUMBER](#) as part of a [Cancer Care Spell](#).

LOWER LAYER SUPER OUTPUT AREA (PERSON RESIDENCE)

Change to Data Element: Changed Dataset

Format/Length:	max an9
National Codes:	
Default Codes:	X99999998 - Not Applicable (outside the United Kingdom) X99999999 - Not Known

Notes:

[LOWER LAYER SUPER OUTPUT AREA \(PERSON RESIDENCE\)](#) is the same as attribute [GEOGRAPHIC AREA CODE](#) for a [Lower Layer Super Output Area](#).

[LOWER LAYER SUPER OUTPUT AREA \(PERSON RESIDENCE\)](#) is the [Lower Layer Super Output Area](#) for where the [PERSON](#) is resident.

For guidance on the [Lower Layer Super Output Area](#) codes, see the [NHS Postcode Directory](#) which can be downloaded from the [Organisation Data Service](#) pages of the [NHS Digital](#) website at: [NHS Postcode Directory User Guide](#).

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (FEMALE SAME SEX PARTNERS)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR \(FEMALE SAME SEX PARTNERS\)](#) is the same as attribute [NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR](#), for female same sex partners.

NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR (OPPOSITE SEX PARTNERS)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	

See [NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR](#)

Default Codes: NA - Not Applicable ([PERSON](#) not asked)

Notes:

[NEW SEX PARTNERS IN LAST THREE MONTHS INDICATOR \(OPPOSITE SEX PARTNERS\)](#) is the same as attribute [NEW SEX PARTNERS IN THE LAST THREE MONTHS INDICATOR](#), for opposite sex partners.

NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION

Change to Data Element: Changed Dataset

Format/Length: max an3

National Codes:

Default Codes: NA - Not Applicable ([PATIENT](#) not asked)

Notes:

[NUMBER OF CONTACTABLE PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION](#) is the number of contactable partners reported by the [PATIENT](#) diagnosed with a Sexually Transmitted Infection attending a [Sexual Health Service](#).

NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE

Change to Data Element: Changed Dataset

Format/Length: max an2

National Codes:

Default Codes: NA - Not Applicable ([PATIENT](#) not asked)

Notes:

[NUMBER OF PATIENT PARTNERS CONFIRMED AS ATTENDED A SEXUAL HEALTH SERVICE](#) is the number of [PATIENT](#) partners confirmed by the [CARE PROFESSIONAL](#) as having attended a [Sexual Health Service](#) within four weeks of the [Initial Partner Notification Discussion](#).

NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE

Change to Data Element: Changed Dataset, Description

Format/Length: max an2

National Codes:

Default Codes: NA - Not Applicable ([PATIENT](#) not asked)

Notes:

[NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE](#) is the number of [PATIENT](#) partners reported as having attended a [Sexual Health](#)

Service within four weeks of an Initial Partner Notification Discussion. **NUMBER OF PATIENT PARTNERS REPORTED AS ATTENDED A SEXUAL HEALTH SERVICE** is the number of PATIENT partners reported by the PATIENT as having attended a Sexual Health Service within four weeks of an Initial Partner Notification Discussion.

NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION

Change to Data Element: Changed Dataset

Format/Length:	max an3
National Codes:	
Default Codes:	NA - Not Applicable (<u>PATIENT</u> not asked)

Notes:

NUMBER OF PATIENT REPORTED PARTNERS FOR DIAGNOSED SEXUALLY TRANSMITTED INFECTION is the number of PATIENT partners reported by the PATIENT for the Sexually Transmitted Infection diagnosed at a Sexual Health Service.

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See <u>NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE</u>
Default Codes:	NA - Not Applicable (<u>PERSON</u> not asked)

Notes:

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (FEMALE SAME SEX PARTNERS) is the same as attribute NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE, for female same sex partners.

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See <u>NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE</u>
Default Codes:	NA - Not Applicable (<u>PERSON</u> not asked)

Notes:

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (MALE SAME SEX PARTNERS) is the same as attribute NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE, for male same sex partners.

NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE (OPPOSITE SEX PARTNERS)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE \(OPPOSITE SEX PARTNERS\)](#) is the same as attribute [NUMBER OF SEX PARTNERS IN LAST THREE MONTHS CODE](#), for opposite sex partners.

ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE (LOCAL AUTHORITY DISTRICT)

Change to Data Element: Changed Dataset

Format/Length:	max an9
National Codes:	
Default Codes:	X99999998 - Not Applicable (outside the United Kingdom) X99999999 - Not Known

Notes:

[ONS LOCAL GOVERNMENT GEOGRAPHIC AREA CODE \(LOCAL AUTHORITY DISTRICT\)](#) is the same as attribute [GEOGRAPHIC AREA CODE](#) for a [Local Authority District](#).

For guidance on [Local Authority District](#) codes, see the [NHS Postcode Directory](#) which can be downloaded from the [Organisation Data Service](#) pages of the [NHS Digital](#) website at: [NHS Postcode Directory User Guide](#).

ORGANISATION SITE IDENTIFIER (OF TREATMENT)

Change to Data Element: Changed Dataset

Format/Length:	min an5 max an9
National Codes:	
ODS Default Codes :	R9998 - Not a hospital site 89999 - Non-NHS UK Provider where no ORGANISATION IDENTIFIER has been issued 89997 - Non-UK Provider where no ORGANISATION IDENTIFIER has been issued

Notes:

[ORGANISATION SITE IDENTIFIER \(OF TREATMENT\)](#) is the same as attribute [ORGANISATION IDENTIFIER](#).

[ORGANISATION SITE IDENTIFIER \(OF TREATMENT\)](#) is the [ORGANISATION IDENTIFIER](#) of the [Organisation Site](#) where the [PATIENT](#) was treated, i.e. it should enable the treating [Organisation](#) to be identified.

[ORGANISATION SITE IDENTIFIER \(OF TREATMENT\)](#) identifies the [Organisation Site](#) within the [Organisation](#) on which the [PATIENT](#) was treated, since facilities may vary on different hospital sites.

The code recorded should always be the national code; if the treatment is sub-commissioned to another NHS [Health Care Provider](#) or an independent UK provider, the [ORGANISATION SITE IDENTIFIER \(OF TREATMENT\)](#) used should be the [ORGANISATION IDENTIFIER](#) of the [Health Care Provider](#) actually carrying out the work.

Where treatment is sub-commissioned to an overseas provider the [Organisation Data Service Default Code](#) 89997 'Non-UK Provider where no [ORGANISATION IDENTIFIER](#) has been issued' is applicable.

Each [Organisation](#) has a unique [ORGANISATION IDENTIFIER](#). However, where an [Organisation](#) has more than one site from which it provides [SERVICES](#), then each site is uniquely identified. These sites are [Organisation Sites](#) and are uniquely identified by an [ORGANISATION IDENTIFIER](#).

For out-patients, [ACTIVITY](#) may take place outside the hospital, such as in the [PATIENT'S](#) home; in such cases, raising a site code is impractical. Therefore, code R9998 'Not a hospital site' would be used in these circumstances.

Note: [LOCATION CLASS](#) is used in the Commissioning Data Set (CDS) message to indicate the classification of the physical [LOCATION](#) within which the [ACTIVITY](#) occurred.

Use in the Future Outpatient CDS:

If the [INTENDED SITE CODE \(OF TREATMENT\)](#) is not known, this data element should be omitted.

[SITE CODE \(OF TREATMENT\)](#) will be replaced with [ORGANISATION SITE IDENTIFIER \(OF TREATMENT\)](#), when it has been approved for use in national information standards.

PARTNER NOTIFICATION CONSULTATION INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[PARTNER NOTIFICATION CONSULTATION INDICATOR \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [PARTNER NOTIFICATION CONSULTATION INDICATOR FOR SEXUAL HEALTH SERVICE](#).

PATIENT ATTENDANCE SYMPTOMATIC INDICATOR (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PATIENT ATTENDANCE SYMPTOMATIC INDICATOR \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [PATIENT ATTENDANCE SYMPTOMATIC INDICATOR FOR SEXUAL HEALTH SERVICE](#).

PATIENT DIAGNOSIS CONFIRMED INDICATION CODE (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PATIENT DIAGNOSIS CONFIRMED INDICATION CODE \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [PATIENT DIAGNOSIS CONFIRMED INDICATION CODE FOR SEXUAL HEALTH SERVICE](#).

PATIENT DIAGNOSIS SITE OF INFECTION (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PATIENT DIAGNOSIS SITE OF INFECTION \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [PATIENT DIAGNOSIS SITE OF INFECTION FOR SEXUAL HEALTH SERVICE](#).

PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE (SEXUAL HEALTH SERVICE)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE \(SEXUAL HEALTH SERVICE\)](#) is the same as attribute [PATIENT DIAGNOSIS TREATMENT PROVIDED INDICATION CODE FOR SEXUAL HEALTH SERVICE](#).

PERSON RISK FACTOR (SEXUALLY TRANSMITTED INFECTION)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION
Default Codes:	NA - Not applicable (PERSON not asked)

Notes:

[PERSON RISK FACTOR \(SEXUALLY TRANSMITTED INFECTION\)](#) is the same as attribute [PERSON RISK FACTOR FOR SEXUALLY TRANSMITTED INFECTION](#).

PERSON STATED SEXUAL ORIENTATION CODE

Change to Data Element: Changed Dataset

Format/Length:	an1
National Codes:	See PERSON STATED SEXUAL ORIENTATION CODE
Default Codes:	9 - Not Known (Not Recorded)

Notes:

[PERSON STATED SEXUAL ORIENTATION CODE](#) is the same as attribute [PERSON STATED SEXUAL ORIENTATION CODE](#).

[SEXUAL ORIENTATION \(CURRENT\)](#) will be replaced with [PERSON STATED SEXUAL ORIENTATION CODE](#), which is the most recent approved national information standard to describe the required definition.

PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE](#) is the same as attribute [PRE EXPOSURE PROPHYLAXIS DRUG REGIMEN CODE](#).

PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON](#) is the same as attribute [PRE EXPOSURE PROPHYLAXIS ELIGIBILITY REASON](#).

PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE](#) is the same as attribute [PRE EXPOSURE PROPHYLAXIS OFFER STATUS CODE](#).

PRE EXPOSURE PROPHYLAXIS STOPPED REASON

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See PRE EXPOSURE PROPHYLAXIS STOPPED REASON
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PRE EXPOSURE PROPHYLAXIS STOPPED REASON](#) is the same as attribute [PRE EXPOSURE PROPHYLAXIS STOPPED REASON](#).

PRESCRIBED ITEM QUANTITY (PRE EXPOSURE PROPHYLAXIS)

Change to Data Element: Changed Dataset, Description

Format/Length:	an2
National Codes:	See PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS
Default Codes:	NA - Not Applicable (PATIENT not asked)
Default Codes:	NA - Not Applicable (PATIENT not asked)

Notes:

[PRESCRIBED ITEM QUANTITY \(PRE EXPOSURE PROPHYLAXIS\)](#) is the same as attribute [PRESCRIBED ITEM QUANTITY FOR PRE EXPOSURE PROPHYLAXIS](#).

SERVICE TYPE (SEXUAL HEALTH)

Change to Data Element: Changed Dataset

Format/Length:	an2
National Codes:	See SERVICE TYPE FOR SEXUAL HEALTH
Default Codes:	

Notes:

[SERVICE TYPE \(SEXUAL HEALTH\)](#) is the same as attribute [SERVICE TYPE FOR SEXUAL HEALTH](#).

SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE (SNOMED CT)

Change to Data Element: Changed Dataset

Format/Length:	See SNOMED CT EXPRESSION
National Codes:	
Default Codes:	

Notes:

[SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[SEXUAL HEALTH AND HIV ACTIVITY HEALTH ISSUE \(SNOMED CT\)](#) is the [SNOMED CT EXPRESSION](#) which is used to record a health issue identified at an attendance for a [Sexual Health Service](#).

NOTE: [SNOMED CT EXPRESSION](#) constraint for Health Issue: (<404684003 or <243796009)

SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE (SNOMED CT)

Change to Data Element: Changed Dataset

Format/Length:	See SNOMED CT EXPRESSION
National Codes:	
Default Codes:	

Notes:

[SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[SEXUAL HEALTH AND HIV ACTIVITY PROCEDURE \(SNOMED CT\)](#) is the [SNOMED CT EXPRESSION](#) which is used to identify the procedure relating to the activity undertaken at an attendance for a [Sexual Health Service](#).

NOTE: [SNOMED CT EXPRESSION](#) constraint for procedure: (7138802 or <129152009)

SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE

Change to Data Element: Changed Dataset

Format/Length:	max an5
National Codes:	See SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE
Default Codes:	

Notes:

[SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE](#) is the same as attribute [SEXUAL HEALTH AND HIV ACTIVITY PROPERTY TYPE](#).

SEXUAL HEALTH SERVICE ATTENDANCE SOURCE (SNOMED CT)

Change to Data Element: Changed Dataset

Format/Length:	See SNOMED CT CODE
National Codes:	
Default Codes:	

Notes:

[SEXUAL HEALTH SERVICE ATTENDANCE SOURCE \(SNOMED CT\)](#) is the same as attribute [CLINICAL TERMINOLOGY CODE](#).

[SEXUAL HEALTH SERVICE ATTENDANCE SOURCE \(SNOMED CT\)](#) is the [SNOMED CT®](#) concept ID which is used to indicate the source of an attendance for a [Sexual Health Service](#).

[SNOMED CT Refset](#) Metadata:

- [Refset](#) FSN: Sexual health source of attendance simple reference set (foundation metadata concept)
- [Refset](#) Id: 999003111000000106

For further details relating to the [SNOMED CT Refset](#) Metadata, see the [Data Dictionary for Care \(DD4C\)](#) website at: [Sexual Health Source of Attendance](#).

SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR

Change to Data Element: Changed Dataset, Description

--

Format/Length:	max an2
National Codes:	See SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR
	NA - Not Applicable (PERSON not asked)
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR](#) is the same as attribute [SEXUAL INTERCOURSE UNDER THE INFLUENCE OF SUBSTANCE INDICATOR](#).

SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR](#) is the same as attribute [SUBSTANCE INJECTED IN THE LAST THREE MONTHS INDICATOR](#).

SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR](#) is the same as attribute [SUBSTANCE INJECTED SHARED EQUIPMENT IN THE LAST THREE MONTHS INDICATOR](#)

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (AMPHETAMINE OR SPEED)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(AMPHETAMINE OR](#)

[SPEED](#)) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Amphetamine or Speed in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (BENZODIAZEPINES NON PRESCRIBED)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(BENZODIAZEPINES NON PRESCRIBED\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Non-Prescribed Benzodiazepines in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CANNABIS)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(CANNABIS\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Cannabis in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (COCAINE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(COCAINE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Cocaine in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRACK)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(CRACK\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Crack in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (CRYSTAL METH OR METHAMPHETAMINE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(CRYSTAL METH OR METHAMPHETAMINE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Crystal Meth or Methamphetamine in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(ECSTASY OR METHYLENEDIOXYMETHAMPHETAMINE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Ecstasy or Methylenedioxyamphetamine in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR

Default Codes: NA - Not Applicable ([PERSON](#) not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(GAMMAHYDROXYBUTYRATE OR GAMMABUTYROLACTONE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Gammahydroxybutyrate or Gammabutyrolactone in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (HEROIN)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(HEROIN\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Heroin in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (KETAMINE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(KETAMINE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Ketamine in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (MEPHEDRONE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(MEPHEDRONE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to

indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Mephedrone in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (METHADONE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(METHADONE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Methadone in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (NOVEL PSYCHOACTIVE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(NOVEL PSYCHOACTIVE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Novel Psychoactive in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (POPPERS)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(POPPERS\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Poppers in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (RECREATIONAL DRUGS)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(RECREATIONAL DRUGS\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Recreational Drugs in the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (SOLVENTS OR GLUE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(SOLVENTS OR GLUE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used the [SUBSTANCE](#) Solvents or Glue within the last three months.

SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR (UNCLASSIFIED SUBSTANCE)

Change to Data Element: Changed Dataset

Format/Length:	max an2
National Codes:	See SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR
Default Codes:	NA - Not Applicable (PERSON not asked)

Notes:

[SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR \(UNCLASSIFIED SUBSTANCE\)](#) is the same as attribute [SUBSTANCE USE IN THE LAST THREE MONTHS INDICATOR](#), to indicate whether the [PERSON](#) has used an Unclassified [SUBSTANCE](#) within the last three months.

For enquiries about this Change Request, please email information.standards@nhs.net

